



KEMENTERIAN PEMBANGUNAN
NEGARA BRUNEI DARUSSALAM

BARANGAN YANG DILULUSKAN

Rujukan barangan yang diluluskan : (1982) KPN/ABCi/C/8.0
Tarikh dikeluarkan : 23rd May 2013
Tarikh Mansuh : 30th March 2014

Dengan ini diakui bahawa, Radiant Engineering, 1st Floor, Unit 1, Block D, Aman Complex, Jalan Aman BC3315, Bandar Seri Begawan, Negara Brunei Darussalam telah mengikuti skim persijilan barangan Kementerian Pembangunan seperti keterangan di bawah ini :-

Skim Persijilan : Scheme 2
(refer certification procedures STD3/003
Issue No. 11, Revision 27th May 2008)
: The use of these products subject to the user's specific
technical and contractual requirements

Barangan yang diluluskan : "TOPAIRE" AIR CONDITIONINGS PRODUCTS
Please refer to Schedule

Tajuk dan Nombor Piawai (spesikasi) yang berkenaan terhadap persijilan yang dikehendaki. : ISO 9001 : 2008
Design, Development and Manufacture of Commercial Air-conditioning, Heating and Refrigeration Equipment (Air-Handling Units, Chillers, Self-Contained packaged Refrigeration and Air-Conditioning Equipment, Heat Pumps, Condensing and Fan Coil Units)

Issued by : SIRIM QAS International
Certificate No : AR 0409
Certification Validity : 09/08/2013

ISO 14001 : 2004
Design and Manufacture of Commercial and Domestic use air-conditioners; Design, manufacture, sales, installation and after-sales service of central air-conditions and heat pump water heaters mechanical electrical equipments

Issued by : HKQAA - Hong Kong Quality Assurance Agency
Certificate No : CC1417
Certification Validity : 30/03/2014


[DR. HAJAH DAYANG SUZANA BINTI HAJI AWANG ADENAN]
b/p. Setiausaha Tetap (Teknikal & Professional)
Kementerian Pembangunan



SCHEDULE
(1982) KPN/ABCi/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

TOPAIRE PRECISION ENVIROMENT CONTROL AIR CONDITIONERS

PRODUCT TYPE	MODEL
AIR COOL	TPA-U/D 35 S,TPG-U/D 35 S
	TPA-U/D 40 S,TPG-U/D 40 S
	TPA-U/D 50 S,TPG-U/D 50 S
	TPA-U/D 80 S,TPG-U/D 80 S
	TPA-U/D 120 S,TPG-U/D 120 S
	TPA-U/D 135 S,TPG-U/D 135 S
	TPA-U/D 150 S,TPG-U/D 150 S
	TPA-U/D 120 T,TPG-U/D 120 T
	TPA-U/D 140 T,TPG-U/D 140 T
	TPA-U/D 160 T,TPG-U/D 160 T
	TPA-U/D 180 T,TPG-U/D 180 T
	TPA-U/D 200 T,TPG-U/D 200T
	TPA-U/D 240 T,TPG-U/D 240 T
	TPA-U/D 270 T,TPG-U/D 270 T
	TPA-U/D 300 T,TPG-U/D 300 T
WATER COOL	TPW-U/D 35 S
	TPW-U/D 40 S
	TPW-U/D 50 S
	TPW-U/D 60 S
	TPW-U/D 80 S
	TPW-U/D 120 S
	TPW-U/D 135 S
	TPW-U/D 150 S
	TPW-U/D 120 T
	TPW-U/D 140 T
	TPW-U/D 160 T
	TPW-U/D 180 T
	TPW-U/D 200 T
	TPW-U/D 240 T
	TPW-U/D 270 T
	TPW-U/D 300 T






SCHEDULE
(1982) KPN/ABCi/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

TOPAIRE DC INVERTER CRF SYSTEM

PRODUCT TYPE	MODEL
AIR COOL	TPA-U/D 35 S,TPG-U/D 35 S
	TPA-U/D 40 S,TPG-U/D 40 S
	TPA-U/D 50 S,TPG-U/D 50 S
	TPA-U/D 80 S,TPG-U/D 80 S
	TPA-U/D 120 S,TPG-U/D 120 S
	TPA-U/D 135 S,TPG-U/D 135 S
	TPA-U/D 150 S,TPG-U/D 150 S
	TPA-U/D 120 T,TPG-U/D 120 T
	TPA-U/D 140 T,TPG-U/D 140 T
	TPA-U/D 160 T,TPG-U/D 160 T
	TPA-U/D 180 T,TPG-U/D 180 T
	TPA-U/D 200 T,TPG-U/D 200T
	TPA-U/D 240 T,TPG-U/D 240 T
	TPA-U/D 270 T,TPG-U/D 270 T
	TPA-U/D 300 T,TPG-U/D 300 T
WATER COOL	TPW-U/D 35 S
	TPW-U/D 40 S
	TPW-U/D 50 S
	TPW-U/D 60 S
	TPW-U/D 80 S
	TPW-U/D 120 S
	TPW-U/D 135 S
	TPW-U/D 150 S
	TPW-U/D 120 T
	TPW-U/D 140 T
	TPW-U/D 160 T
	TPW-U/D 180 T
	TPW-U/D 200 T
	TPW-U/D 240 T
	TPW-U/D 270 T
	TPW-U/D 300 T






SCHEDULE
(1982) KPN/ABCi/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS
(Checked by Department of Mechanical and Electrical, Public Works Department)

TOPAIRE DC INVERTER VRF SYSTEM

PRODUCT TYPE	MODEL	CAPACITY (BTU/HR)
MINI INVERTER OUTDOOR (R410A)	TDVI-M36 S4(1 PH)	36000
	TDVI-M48 S4(1 PH)	48000
	TDVI-M40 S4(1 PH)	40000
	TDVI-M50 S4(1 PH)	50000
	TDVI-M56 S4(1 PH)	56000
SINGLE INDEPENDENT DC INVERTER OUTDOOR UNIT R(410A)	TDVI 80 S4	89000
	TDVI 100 S4	100500
	TDVI 120 S4	120200
	TDVI 140 S4	143600
	TDVI 160 S4	161500
	TDVI 180 S4	186200
	TDVI 200 S4	196000
MODULAR DC INVERTER PUTDOOR UNIT (R410A)	TDVI 80 M4	89000
	TDVI 100 M4	100500
	TDVI 120 M4	120200
	TDVI 140 M4	143600
	TDVI 160 M4	161500
MODULAR DC INVERTER COMBINATION OUTDOOR UNIT (R410A)	TDVI 180 M4	189500
	TDVI 200 M4	201000
	TDVI 220 M4	220700
	TDVI 240 M4	244100
	TDVI 260 M4	262000
	TDVI280 M4	287200
	TDVI 300 M4	305100
	TDVI 320 M4	323200
	TDVI 340 M4	344600
	TDVI 360 M4	362500
	TDVI 380 M4	382200
	TDVI 400 M4	405600
	TDVI 420 M4	430800
	TDVI 440 M4	448700
	TDVI 460 M4	466600
	TDVI 480 M4	484500
	TDVI 500 M4	512500
	TDVI 520 M4	524000
	TDVI 540 M4	543700
	TDVI 560 M4	567100
	TDVI 580 M4	592300
	TDVI 600 M4	610200
	TDVI 620 M4	628100
	TDVI 640 M4	646000





SCHEDULE
(1982) KPN/ABCI/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

PRODUCT TYPE	MODEL	CAPACITY (BTU/HR)
COMPACT 4-WAY CASSETTE WITH 360° DISCHARGE PANEL	TDVI 08 CCS-F	8000
	TDVI 10 CCS-F	10000
	TDVI 13 CCS-F	13000
	TDVI 18 CCS-F	18000
4-WAY CASSETTE WITH 360° DISCHARGE PANEL	TDVI 18 CS-F	18000
	TDVI 20 CS-F	20000
	TDVI 25 CS-F	25000
	TDVI 30 CS-F	30000
	TDVI 36 CS-F	36000
	TDVI 40 CS-F	40000
	TDVI 50 CS-F	50000
CEILING / FLOOR EXPOSED	TDVI 13 CF-E	13000
	TDVI 18 CF-E	18000
	TDVI 20 CF-E	20000
	TDVI 25 CF-E	25000
	TDVI 30 CF-E	30000
	TDVI 36 CF-E	36000
	TDVI 40 CF-E	40000
WALL MOUNTED	TDVI 50 CF-E	50000
	TDVI 08 WM-G	8000
	TDVI 10 WM-G	10000
	TDVI 13 WM-G	13000
	TDVI 18 WM-G	18000
LOW STATIC CEILING DUCTED FAN COIL (0.2-0.3" ESP) TYPE A5	TDVI 20 WM-G	20000
	TDVI 25 WM-G	25000
	TDVI 08 CR-F	8000
	TDVI 10 CR-F	10000
	TDVI 13 CR-F	13000
	TDVI 18 CR-F	18000
	TDVI 20 CR-F	20000
	TDVI 25 CR-F	25000
	TDVI 30 CR-F	30000
	TDVI 36 CR-F	36000
HIGH STATIC CEILING DECTED FAN COIL (0.5"ESP)	TDVI 40 CR-F	40000
	TDVI 50 CR-F	50000
	TDVI 25 EB-F	25000
	TDVI 30 EB-F	30000
	TDVI 36 EB-F	36000
	TDVI 40 EB-F	40000
	TDVI 50 EB-F	50000
	TDVI 60 EB-F	60000
	TDVI 70 EB-F	72000
	TDVI 85 EB-F	85000
	TDVI 100 EB-F	100000





SCHEDULE
(1982) KPN/ABCI/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

TOPAIRE DC INVERTER VRF SYSTEM

PRODUCT TYPE	MODEL	CAPACITY (BTU/HR)
TOPAIRE AIR COOLED HORIZONTAL SCREW FLOODED CHILLER R13a	TAFHX 80-5 CR	77.6
	TAFHX 75T-5 CR	74.0
	TAFHX 90-5 CR	90.2
	TAFHX 95T-5 CR	95.8
	TAFHX 110-5 CR	107.5
	TAFHX 110T-5 CR	109.7
	TAFHX 120-5 CR	118.9
	TAFHX 120T-5 CR	121.6
	TAFHX 155-5 CR	153.2
	TAFHX 165-5 CR	164.9
	TAFHX 190-5 CR	189.1
	TAFHX 225-5 CR	225.6
	TAFHX 250-5 CR	249.9
	TAFHX 285-5 CR	286.8
	TAFHX 325-5 CR	324.7
	TAFHX 335-5 CR	336.4
	TAFHX 365-5 CR	336.4
	TAFHX 405-5 CR	406.8
	TAFHX 475-5 CR	474.9

TOPAIRE AIR COOLED SPLIT SYSTEM (R410A DC INVERTER)

PRODUCT TYPE	MODEL(OUTDOOR/INDOOR)	CAPACITY (BTU/HR)
R410A DC INVERTER WALL MOUNTED SPLIT SYSTEM	TASI 10M4/TWMI 10M4	9000
	TASI 13M4/TWMI 13M4	12000
	TASI 20M4/TWMI 20M4	18500
	TASI 25M4/TWMI 25M4	24000
R410A DC INVERTER COMPACT CASSETTE SPLIT SYSTEM	TASI 13A4/TCSI/20A4	12500
	TASI 18A4/TCSI/18A4	18000
R410A DC INVERTER 4 WAY CASSETTE SPLIT SYSTEM	TASI 20A4/TCSI/20A4	19000
	TASI 25A4/TCSI/25A4	24000
	TASI 30A4/TCSI/30A4	30000
	TASI 40A4/TCSI/40A4	36000
	TASI 50A4/TCSI/50A4	48000
R410A DC INVERTER CEILING/FLOOR TYPE SPLIT SYSTEM	TASI 18A4/TCFI/18A4	18000
	TASI 25A4/TCFI/25A4	24000
	TASI 30A4/TCFI/30A4	30000
	TASI 40A4/TCFI/40A4	36000
	TASI 50A4/TCFI/50A4	48000
R410A DC INVERTER CEILING COMCALED SPLIT SYSTEM	TASI 13A4/TCRI/13A4	12500
	TASI 18A4/TCRI/18A4	18000
	TASI 25A4/TCRI/25A4	24000
	TASI 30A4/TCRI/30A4	30000
	TASI 40A4/TCRI/40A4	36000
	TASI 50A4/TCRI/50A4	48000





SCHEDULE
(1982) KPN/ABCI/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)


TOPAIRE CHILLED WATER SPLIT SYSTEM

PRODUCT TYPE	MODEL(OUTDOOR/INDOOR)	CAPACITY (BTU/HR)
COMPACT CHILLED WATER FAN COIL UNIT	TCS 13E-CW	13000
	TCS 18E-CW	18000
4 WAY CHILLED WATER CASSETTE FAN COIL UNIT	TCS 20-E-CW	20000
	TCS 25-E-CW	25000
	TCS 30-E-CW	30000
	TCS 40E-CW	40000
	TCS 50-E-CW	50000
DICTED CHILLED WATER FAN COIL UNIT (LOW STATIC)	TCR 300CBP	10000
	TCR 300CBP	13600
	TCR 600CBP	20000
	TCR 800CBP	26800
	TCR 1000CBP	32000
	TCR1200CBP	42000
HORIZONTAL BLOW CHILLED WATER FAN COIL UNIT (MEDIUM STATIC)	THCB 30F	32000
	THCB 40F	42000
	THCB 50F	52000
	THCB 60F	62000
	THCB 70F	72000

TOPAIRE COOLED SCROLL DIRECT EXPANSION CHILLER – PRODUCT R407C

PRODUCT TYPE	MODEL	TON (RT)
TOPAIRE COOLED SCROLL DIRECT EXPANSION CHILLER -R407C	TCS 10-5-E-P	9.3
	TCS 13-5-E-P	11.5
	TCS 15-5-E-P	13.2
	TCS 20-5-E-P	16.3
	TCS 23-5-E-P	20.1
	TCS 26-5-E-P	23
	TCS 30-5-E-P	26.3
	TCS 40-5-E-P	32.5
	TCS 46-5-E-P	40.2
	TCS 55-5-E-P	48.8
	TCS 60-5-E-P	54.3
	TCS 70-5-E-P	60.2





SCHEDULE
(1982) KPN/ABCi/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS
(Checked by Department of Mechanical and Electrical, Public Works Department)

TOPAIRE CENTRAL STATION AIR HANDLING UNITS, AIR VOLUME 750 TO 65700 CFM

PRODUCT TYPE	MODEL	MIN.CFMS/MAX.CFMS
TOPAIRE COOLED SCROLL DIRECT EXPANSION CHILLER -R407C	12	750-1500
	22	1500-3000
	32	1980-3960
	40	2490-4980
	48	3030-6060
	64	3930-7860
	80	4740-9480
	100	5820-11640
	120	6990-13980
	150	8760-17520
	180	10830-21660
	240	14070-28140
	270	16260-32520
	320	18750-37500
	420	22680-45360
	520	26910-53820
	640	32850-65700

TOPAIRE CENTRAL STATION AIR HANDLING UNITS, AIR VOLUME 750 TO 65700 CFM

PRODUCT TYPE	MODEL	CFMS
TOPAIRE CENTRAL STATION AIR HANDLING UNITS. AIR VOLUME 750 TO 65700CFM	TCC_DS 800	800
	TCC_DS 1200	1200
	TCC_DS 1600	1600
	TCC_DS 2000	2000
	TCC_DS 2400	2400
	TCC_DS 3000	3000
	TCC_DS 4000	4000
	TCC_DS 5200	5200
	TCC_DS 6500	6500
	TCC_DS 8000	8000






SCHEDULE
(1982) KPN/ABCI/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

TOPAIRE AIR COOLED SPLIT (R22) – PRODUCT LIST

PRODUCT	MODEL	CAPACITY(BTU/HR)
CEILING/FLOOR TYPE SPLIT SYSTEM	TAS 18ER/TCF 20E	18000
	TAS 20ER/TCF 20E	20000
	TAS 22ER/TCF 20E	21000
	TAS 25ER/TCF 25E	25000
	TAS 28ER/TCF 30E	28000
	TAS 30ER/TCF 30E	30000
	TAS 36ER/TCF 36E	36000
	TAS 40ER/TCF 40E	40000
	TAS 50ER/TCF 50E	50000
FLOOR STANDING SPLIT SYSTEM	TAS 60ER/TCF 60E	60000
	TAS25F/TFS 30E	25000
	TAS 30EG/TFS 30E	30000
CEILING CONCEALED SPLIT SYSTEM	TAS 50FS/TFS 50E	50000
	TAS 10ER/TCR 03B	10000
	TAS 13ER/TCR 04B	13000
	TAS 18ER/TCR 06B	18000
	TAS 20EL/TCR 06B	20000
	TAS 22ER/TCR 03B	21000
	TAS 25F/TCR 08B	25000
	TAS 28E/TCR 10B	28000
	TAS 30E/TCR 10B	30000
CEILING DUCTED SPLIT SYSTEM (MAS ESP 0.5")	TAS 25F/TEB 30F	25000
	TAS 28F/TEB 30B	28000
	TAS 30F/TEB 40F	30000
	TAS 36F/TEB 40F	36000
	TAS 40F/TEB 40F	40000
	TAS 50F/TEB 50F	50000
WALL MOUNTED SPLIT SYSTEM WITH IONIZER	TAS 60F/TEB 60F	60000
	TAS 10ER3/TWM 10RI	9200
	TAS 10ER3/TWM 13RI	10000
	TAS 13ER/TWM 13RI	13000
	TAS 18ER/TWM 18RI	18000
	TAS 20EL/TWM 20RI	20000
	TAS 22ER/TWM 20RI	21000
	TAS 25F/TWM 25RI	25000
COMPACT CASSETTE SPLIT SYSTEM WITH 360° DISCHARGE PANEL	TAS 30EG/TWM 30EG	30000
	TAS 10ER3/TCS 13F	10000
	TAS13ER/TCS13F	13000
4 WAY CASSETTE SPLIT SYSTEM WITH 360°	TAS18ER/TCS 18F	18000
	TAS 20EL/TCS 20F	20000
	TAS 22ER/TCS 20F	21000
	TAS 25F/TCS 25F	25000
	TAS 28E/TCS 30F	28000
	TAS 30E/TCS 30F	30000
	TAS 36E/TCS 40F	36000





SCHEDULE
(1982) KPN/ABCI/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

PRODUCT TYPE	MODEL	CAPACITY(BTU/HR)
CONTINUE 4 WAY CASSETTE SYSTEM WITH 360° DISCHARGE PANEL	TAS 40E/TCS 40F	40000
	TAS 50E/TCS 50F	50000

**TOPAIRE AIR COOLED HIGH STATIC DUCTED SPLIT (VERTICAL) WITH
DOUBLE SKIN EVAPORATION UNIT**

PRODUCT TYPE	MODEL	CAPACITY(BTU/HR)
STD VERTICAL FLOOR MOUNTED EVAPORATOR UNIT	TACCS 65E/TVEB 65ED	65000
	TACCS 75E/TVEB 75ED	75000
	TACCS 85E/TVEB 85ED	85000
	TACCS 100E/TVEB 100ED	100000
	TACCS 115E/TVEB 115ED	115000
	TACCS 130E/TVEB 130ED	133300
	TACCS 150E/TVEB 150ED	150000
	TACCS 175E/TVEB 175ED	175000
	TACCS 100E X 2/TVEB 200ED	200000
	TACCS 115E X 2/TVEB 230ED	230000
	TACCS 130E X 2/TVEB 260ED	260000
	TACCS 100E X 2/TVEB 200ED	200000
	TACCS 115E X 2/TVEB 230ED	230000
	TACCS 130E X 2/TVEB 260ED	260000
	TACCS 150E X 2/TVEB 300ED	300000
	TACCS 175E X 2/TVEB 350ED	350000
	TACCS 130E X 3/TVEB 400ED	400000
	TACCS 150E X 3/TVEB 450ED	450000
	TACCS 175E X 3/TVEB 520ED	520000
STD VERTICAL FLOOR MOUNTED EVAPORATION UNIT C/W SINGLE CONDENSER	TACCS 220E/TVEB 200ED	200000
	TACCS 230E/TVEB 230ED	230000
	TACCS 260E/TVEB 260ED	260000
	TACCS 300E/TVEB 300ED	300000
	TACCS 350E/TVEB 350ED	350000
	TACCS 400E/TVEB 400ED	400000
	TACCS 450E/TVEB 450ED	450000
	TACCS 520E/TVEB 520ED	520000
	TACCS 600E/TVEB 600ED	600000
	TACCS 650E/TVEB 650ED	650000
	TACCS 700E/TVEB 700ED	700000
TOPAIRE WATER COOLED PACKED UNIT DOUBLE SKIN	TWCP 62 ED	620000
	TWCP 72 ED	720000
	TWCP 82 ED	820000
	TWCP 100 ED	100000
	TWCP 130 ED	130000
	TWCP 150 ED	150000





SCHEDULE
(1982) KPN/ABCi/C/8.0
RADIANT ENGINEERING


"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

PRODUCT TYPE	MODEL	CAPACITY(BTU/HR)
CONTINUE TOPAIRE WATER COOLED UNIT DOUBLE SKIN	TWCP 165 ED	165000
	TWCP 195 ED	195000
	TWCP 200 ED	200000
	TWCP 260 ED	600000
	TWCP 300 ED	300000
	TWCP 330 ED	330000
	TWCP 390 ED	390000
	TWCP 450 ED	450000
	TWCP 500 ED	500000
	TWCP 560 ED	560000
	TWCP 590 ED	590000
	TWCP 660 ED	660000
	TWCP 720 ED	720000
	TWCP 780 ED	780000
	TWCP 900 ED	900000
	TWCP 990 ED	990000
	TWCP 1170 ED	1170000

TOPAIRE CHILLED WATER SPLIT SYSTEM

PRODUCT	MODEL	CAPACITY
COMPACT CHILLED WATER CASSETTE FAN COIL UNIT	TCS 13E-CW	13000
	TCS 18E-CW	18000
4 WAY CHILLED WATER CASSETTE FAN COIL UNIT	TCS 20E-CW	20000
	TCS 25E-CW	25000
	TCS 30E-CW	30000
	TCS 40E-CW	40000
	TCS 50E-CW	50000
DUCTED CHILLED WATER FAN COIL UNIT (LOW STATIC)	TCR 300CBP	10000
	TCR 400CBP	13600
	TCR 600CBP	20000
	TCR 800CBP	26800
	TCR 1000CBP	32000
HORIZONTAL BLOW CHILLED WATER FAN COIL UNIT (MEDIUM STATIC)	TCR 1200CBP	42000
	THCB 30F	32000
	THCB 40F	42000
	THCB 50F	52000
	THCB 60F	62000
TOPAIRE BELAT-DRIVEN DOUBLE SKIN DUCTED FAN COILS	THCB 70F	72000
	TCC_DS 800	800
	TCC_DS 1200	1200
	TCC_DS 1600	1600
	TCC_DS 2000	2000
	TCC_DS 2400	2400
	TCC_DS 3000	3000
	TCC_DS 4000	4000
	TCC_DS 5200	5200
	TCC_DS 6500	6500
	TCC_DS 8000	8000





SCHEDULE
(1982) KPN/ABCi/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS

(Checked by Department of Mechanical and Electrical, Public Works Department)

PRODUCT TYPE	MODEL	TON (RT)
TOPAIRE WATER COOLED HORIZONTAL SCREW FLOODED CHILLERS R13a	THXW 240-5 NR	201.4
	THXW 260-5 NR	211.1
	THXW 270-5 NR	220.8
	THXW 310-5 NR	252.9
	THXW 350-5 NR	287.6
	THXW 370-5 NR	305.8
	THXW 400-5 NR	331.3
	THXW 440-5 NR	363.6
	THXW 480-5 NR	404.9
	THXW 520-5NR	436.5
	THXW 550-5 NR	456.9
	THXW 560-5 NR	464.6
	THXW 610-5 NR	509.0
	THXW 650-5 NR	554.4
	THXW 690-5 NR	575.1
	THXW 720-5 NR	597.4
	THXW 750-5 NR	622.9
TOPAIRE AIR COOLED SCROLL DIRECT EXPANSION CHILLER 3407C	TACS 10 - 5 - E - P	9.3
	TACS 13 - 5 - E - P	11.5
	TACS 15 - 5 - E - P	13.2
	TACS 20 - 5 - E - P	16.3
	TACS 23 - 5 - E - P	20.1
	TACS 26 - 5 - E - P	23
	TACS 30 - 5 - E - P	26.3
	TACS 40 - 5 - E - P	32.5
	TACS 46 - 5 - E - P	40.2
	TACS 55 - 5 - E - P	48.8
	TACS 60 - 5 - E - P	54.3
	TACS 70 - 5 - E - P	60.2





SCHEDULE
(1982) KPN/ABCI/C/8.0
RADIANT ENGINEERING

"TOPAIRE" AIR CONDITIONINGS PRODUCTS
 (Checked by Department of Mechanical and Electrical, Public Works Department)

PRODUCT TYPE	MODEL	MIN.CFMS/MAX.CFMS
TOPAIRE CENTRAL STATION AIR HANDLING UNITS. AIR VOLUME 750 TO 65700 CFM	12	750-1500
	22	1500-3000
	32	1980-3960
	40	2490-4980
	48	3030-6060
	64	3930-7860
	80	4740-9480
	100	5820-11640
	120	6990-13980
	150	8760-17520
	180	10830-21660
	240	14070-28140
	270	16260-32560
	320	18750-37500
	420	22680-45360
	520	26910-53820
	640	32850-65700

PRODUCT TYPE	MODEL	AIR VOLUME (CFM)H/M/L
TOPAIRE AIR CURTAIN	TAC 300DC	930/800/740
	TAC 400DC	930/800/740

