



KEMENTERIAN PEMBANGUNAN
NEGARA BRUNEI DARUSSALAM

BARANGAN YANG DILULUSKAN

Rujukan barangan yang diluluskan : (1515(a)) KPN/ABCi/C/8.0

Tarikh dikeluarkan : 9th June 2011

Tarikh Mansuh : 9th June 2016

Dengan ini diakui bahawa, Little Bean Company, No. 2-3, Bangunan Hj Tahir, Jalan Gadong, Bandar Seri Begawan, Negara Brunei Darussalam telah mengikuti skim persijilan barangan Kementerian Pembangunan seperti keterangan di bawah ini :-

Skim Persijilan :

Scheme 2

(refer certification procedures STD3/003
Issue No. 11, Revision 27th May 2008)

The use of these products subject to the user's
specific technical and contractual requirements

Barangan yang diluluskan :

YORK'S INVERTER AND VRF AIR CONDITIONERS

Please refer to Attachment.

Note:

*Tarikh mansuh sehingga 5 tahun, jika barangan tersebut
didapati tidak mengikut "Standard and Quality" maka
kebenaran akan ditarik balik.*

Tajuk dan Nombor Piawai (spesikasi) :
yang berkenaan terhadap persijilan yang
dikehendaki.

ISO 9001 : 2008

Quality Management System – Design and manufacture
of domestic use air-conditioners.

Issued by : Hong Kong Quality Assurance Agency

Certification No : CC 454

Certification Validity : 08/07/2013

[HAJAH ZAINAB BTE HAJI MOHD YUSOF]
b/p. Setiausaha Tetap (Teknikal & Professional)
Kementerian Pembangunan



KEMENTERIAN PEMBANGUNAN
NEGARA BRUNEI DARUSSALAM

BARANGAN YANG DILULUSKAN

Rujukan barangan yang diluluskan : (1515) KPN/CPU/C/8.0

Tarikh dikeluarkan : 9th June 2011

Tarikh Mansuh : 9th June 2016

Dengan ini diakui bahawa, Little Bean Company, No. 2-3, Bangunan Hj Tahir, Jalan Gadong, Bandar Seri Begawan, Negara Brunei Darussalam telah mengikuti skim persijilan barangan Kementerian Pembangunan seperti keterangan di bawah ini :-

Skim Persijilan : Scheme 2
(refer certification procedures STD3/003
Issue No. 11, Revision 27th May 2008)

: The use of these products subject to the user's
specific technical and contractual requirements

Barangan yang diluluskan : YORK AIR COOLED SPLIT TYPE AIR CONDITIONER
AND WINDOW UNITS

Note:

*Tarikh mansuh sehingga 5 tahun, jika barangan tersebut
didapati tidak mengikut "Standard and Quality" maka
kebenaran akan ditarik balik.*

Tajuk dan Nombor Piawai (spesikasi) : ISO 9001 : 2008
yang berkenaan terhadap persijilan yang
dikehendaki. Quality Management System - Design and manufacture
of domestic use air-conditioners.

Issued by : Hong Kong Quality Assurance Agency
Certification No : CC 454
Certification Validity : 08/07/2013


[PENGIRAN ADNAN BIN PENGIRAN BADARUDIN]
b/p. Setiausaha Tetap (Teknikal & Professional)
Kementerian Pembangunan

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	COMPRESSOR	NOMINAL COOLING CAPACITY (Btu/h)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
(A) STANDARD MODEL (WINDOW UNIT)								
1	Y9USC09-5A		220-240 / 1 / 50	Fixed Speed	9,000	R22	CHINA	9.47
2	Y9USC12-5A				12,000			9.02
3	Y9USC18-5A				18,000			8.78
4	Y9USC24-5A				24,000			8.28
(B) STANDARD MODEL (WALL MOUNTED SPLIT TYPE)								
1	TLEA09FS-AAR	TLDA09FS-AAR	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	Fixed Speed	9,000	R22	CHINA	9.00
2	TLEA12FS-AAR	TLDA12FS-AAR-I			12,000			9.30
3	TLEA18FS-AAR	TLDA18FS-AAR			18,000			10.59
4	TLEA24FS-AAR	TLDA24FS-AAR-I			23,500			9.79
5	TLEA28FS-AAR	TLDA28FS-AAR			26,000			9.45
6	TLEC09FS-AAR	TLDC09FS-AAR			8,500	R410A		9.66
7	TLEC12FS-AAR	TLDC12FS-AAR			12,000			9.60
8	TLEC18FS-AAR	TLDC18FS-AAR			17,000			10.00
9	TLEC21FS-AAR	TLDC21FS-AAR			21,000			9.60
10	TLEC24FS-AAR	TLDC24FS-AAR			24,000			9.80
11	TVKC09DS-AAR	TVJC09DS-AAR		DC Inverter	9,000	R410A		11.69
12	TVKC12DS-AAR	TVJC12DS-AAR			11,000			11.00
13	TVKC18DS-AAR	TVJC18DS-AAR			17,000			10.97
14	RVKC09DS-AAF	RVJC09DS-AAF			9,000			13.64
15	RVKC12DS-AAF	RVJC12DS-AAF			12,000			12.37
16	RVKC18DS-AAF	RVJC18DS-AAF			17,000			11.04
17	RVKC24DS-AAF	RVJC24DS-AAF			23,000			10.22



Edwin D?

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	COMPRESSOR	NOMINAL COOLING CAPACITY (Btu/h)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
(C) STANDARD MODEL (4 WAY CEILING CASSETTE SPLIT TYPE)								
1	YKEA18FS-AAF	YNDA18FS-AAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	Fixed Speed	18,000	R22	CHINA	9.52
2	YKEA24FS-AAF	YNDA24FS-AAA			24,000			9.06
3	YKEA36FS-AAF	YNDA36FS-AAA			36,000			10.29
4	YKEA36FS-ACF	YNDA36FS-ACA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000			9.73
5	YKEA48FS-ACF	YNDA48FS-ACA			48,000			10.67
6	YKEC24FS-BAF	YNDC24FS-BAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50		24,000	R410A		9.84
7	YKEC30FS-BAF	YNDC30FS-BAA			30,000			7.94
8	YKEC36FS-BAF	YNDC36FS-BAA			36,000			9.52
9	YKEC30FS-BCF	YNDC30FS-BCA	(IN) 220-240 / 1 / 50 (OUT) 380 / 3 / 50		30,000			8.33
10	YKEC36FS-BCF	YNDC36FS-BCA			36,000			10.00
11	YKEC48FS-BCF	YNDC48FS-BCA			48,000			10.00
12	YKKC18DS-BAF	YNJC18DS-BAF	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	DC Inverter	18,000			8.35
13	YKKC24DS-BAF	YNJC24DS-BAF			24,000			9.22
14	YKKC30DS-BAF	YNJC30DS-BAA-I			30,000			8.55
15	YKKC36DS-BCF	YNJC36DS-BCA-I	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000			9.60
16	YKKC48DS-BCF	YNJC48DS-BCA-I			48,000			9.66



MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	COMPRESSOR	NOMINAL COOLING CAPACITY (Btu/h)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
(D) STANDARD MODEL (FLOOR / CEILING SUSPENDED SPLIT TYPE)								
1	YOE12FS-AAR	YNDA12FS-AAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	Fixed Speed	12,000	R22	CHINA	8.70
2	YOE18FS-AAR	YNDA18FS-AAA			18,000			9.47
3	YOE24FS-AAR	YNDA24FS-AAA			24,000			7.74
4	YOE36FS-AAR	YNDA36FS-AAA			36,000			9.23
5	YOE36FS-ACR	YNDA36FS-ACA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000	8.51		
6	YOE48FS-ACR	YNDA48FS-ACA			48,000	9.39		
7	YOE60FS-ACR	YNDA60FS-ACA			60,000	10.12		
8	YOEC12FS-BAR	YNDC12FS-BAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50		12,000	R410A		9.69
9	YOEC18FS-BAR	YNDC18FS-BAA			18,000			8.51
10	YOEC24FS-BAR	YNDC24FS-BAA			24,000			8.91
11	YOEC30FS-BAR	YNDC30FS-BAA			30,000			7.35
12	YOEC36FS-BAR	YNDC36FS-BAA			36,000			8.82
13	YOEC30FS-BCR	YNDC30FS-BCA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		30,000			7.35
14	YOEC36FS-BCR	YNDC36FS-BCA			36,000			8.82
15	YOEC48FS-BCR	YNDC48FS-BCA			48,000			9.19
16	YOEC60FS-BCR	YNDC60FS-BCA			60,000			9.64
17	YOKC18DS-BAR	YNJC18DS-BAF	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50		18,000			9.45
18	YOKC24DS-BAR	YNJC24DS-BAF			24,000	12.47		
19	YOKC36DS-BCR	YNJC36DS-BCA-I	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000	8.77		
20	YOKC48DS-BCR	YNJC48DS-BCA-I			48,000	11.54		
21	YOKC60DS-BCR	YNJC60DS-BCA-I			60,000	14.42		



Edmund

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	COMPRESSOR	NOMINAL COOLING CAPACITY (Btu/h)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
(E) STANDARD MODEL (FLOOR STANDING FREE BLOW SPLIT TYPE)								
1	FXEA18FS-DAR	FXDA18FS-AAR	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	Fixed Speed	18,000	R22	CHINA	8.43
2	FXEA21FS-DAR	FXDA21FS-AAR			21,000			8.57
3	FXEA24FS-DAR	FXDA24FS-AAR			24,000			8.26
4	FXEA24FS-DCR	FXDA24FS-ACR	24,000		8.09			
5	FXEA36FS-DCR	FXDA36FS-ACR	36,000		8.90			
6	FXEA48FS-DCR	FXDA48FS-ACR	48,000		10.43			
(F) STANDARD MODEL (CEILING DUCTED - MID STATIC SPLIT TYPE)								
1	YUEA18FS-AAF-K	YNDA18FS-AAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	Fixed Speed	18,000	R22	CHINA	8.73
2	YUEA24FS-AAF-K	YNDA24FS-AAA			24,000			7.70
3	YUEA36FS-AAF-K	YNDA36FS-AAA			36,000			8.38
4	YUEA36FS-ACF-K	YNDA36FS-ACA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000			8.37
5	YUEA48FS-ACF-K	YNDA48FS-ACA			48,000			10.23
6	YUEA60FS-ACF-K	YNDA60FS-ACA			60,000			10.19
7	YUEC12FU-BAR-K	YNDC12FS-BAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50		12,000	R410A		10.48
8	YUEC18FU-BAR-K	YNDC18FS-BAA			18,000			9.47
9	YUEC24FU-BAR-K	YNDC24FS-BAA			24,000			9.56
10	YUEC30FU-BAR-K	YNDC30FS-BAA			30,000			8.70
11	YUEC36FU-BAR-K	YNDC36FS-BAA			36,000			9.47
12	YUEC30FU-BCR-K	YNDC30FS-BCA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		30,000			8.70
13	YUEC36FU-BCR-K	YNDC36FS-BCA			36,000			9.82
14	YUEC48FU-BCR-K	YNDC48FS-BCA			48,000			9.80
15	YUEC60FU-BCR-K	YNDC60FS-BCA			60,000			10.34
16	YUKC18DS-BAR-K	YNJC18DS-BAA-I	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	DC Inverter	18,000			9.00
17	YUKC24DS-BAR-K	YNJC24DS-BAA-I			24,000			8.82
18	YUKC36DS-BCR-K	YNJC36DS-BCA-I	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000			8.93
19	YUKC48DS-BCR-K	YNJC48DS-BCA-I			48,000			9.08
20	YUKC60DS-BCR-K	YNJC60DS-BCA-I			60,000			10.66



Edwin

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	COMPRESSOR	NOMINAL COOLING CAPACITY (Btu/h)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
(G) STANDARD MODEL (CEILING DUCTED - HIGH STATIC SPLIT TYPE)								
1	YUEA18FT-AAF-K	YNDA18FS-AAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50	Fixed Speed	18,000	R22	CHINA	8.36
2	YUEA24FT-AAF-K	YNDA24FS-AAA			24,000			8.42
3	YUEA36FT-ACF-K	YNDA36FS-ACA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000			11.56
4	YUEA48FT-ACF-K	YNDA48FS-ACA			48,000			12.00
5	YUEA60FT-ACF-K	YNDA60FS-ACA			60,000			9.50
6	YUKC18FT-BAR-K	YNJC18FS-BAA	(IN) 220-240 / 1 / 50 - (OUT) 220-240 / 1 / 50		18,000	R410A		9.47
7	YUKC24FT-BAR-K	YNJC24FS-BAA			24,000			9.56
8	YUKC30FT-BAR-K	YNJC30FS-BAA			30,000			9.17
9	YUKC36FT-BAR-K	YNJC36FS-BAA			36,000			9.60
10	YUKC30FT-BCR-K	YNJC30FS-BCA			30,000			9.23
11	YUKC36FT-BCR-K	YNJC36FS-BCA	(IN) 220-240 / 1 / 50 - (OUT) 380 / 3 / 50		36,000			9.73
12	YUKC48FT-BCR-K	YNJC48FS-BCA			48,000			10.21
13	YUKC60FT-BCR-K	YNJC60FS-BCA			60,000			10.00



Edin

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	TYPE OF INDOOR & COMPRESSOR	NOMINAL COOLING CAPACITY (kW)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
(H) STANDARD MODEL (VRF - DIGITAL SCROLL TYPE)								
1	-	YDS-252WA35C	380 / 3 / 50	Digital Scroll	25.2	R22	CHINA	11.31
2	-	YDS-280WA35C			28.0			11.37
3	-	YDS-335WA35C			33.5			11.32
4	-	YDS-400WA35C			40.0			11.47
5	-	YDS-450WA35C			45.0			11.63
6	-	YDV-252WA35A		DC Inverter	25.2			10.88
7	-	YDV-280WA35A			28.0			10.98
8	-	YDV-335WA35A			33.5			10.99
9	-	YDV-400WA35A			40.0			10.92
10	-	YDV-450WA35A			45.0			10.89
11	YDS-28GA15IB	-	220-240 / 1 / 50	4 Way Ceiling Cassette - Compact	2.8	R22	CHINA	-
12	YDS-36GA15IB	-			3.6			-
13	YDS-45GA15IB	-			4.5			-
14	YDS-28KA15IB	-		4 Way Ceiling Cassette	2.8			-
15	YDS-36KA15IB	-			3.6			-
16	YDS-45KA15IB	-			4.5			-
17	YDS-56KA15IB	-			5.6			-
18	YDS-71KA15IB	-			7.1			-
19	YDS-80KA15IB	-			8.0			-
20	YDS-90KA15IB	-			9.0			-
21	YDS-100KA15IB	-			10.0			-
22	YDS-112KA15IB	-			11.2			-
23	YDS-140KA15IB	-			14.0			-



Edmund

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	TYPE OF INDOOR & COMPRESSOR	NOMINAL COOLING CAPACITY (kW)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
24	YDS-22HA15IB	-	220-240 / 1 / 50	Wall Mounted	2.2	R22	CHINA	-
25	YDS-28HA15IB	-			2.8			-
26	YDS-36HA15IB	-			3.6			-
27	YDS-45HA15IB	-			4.5			-
28	YDS-56HA15IB	-			5.6			-
29	YDS-71HA15IB	-			7.1			-
30	YDS-36FA15IB	-		Floor / Ceiling Suspended	3.6			-
31	YDS-45FA15IB	-			4.5			-
32	YDS-56FA15IB	-			5.6			-
33	YDS-71FA15IB	-			7.1			-
34	YDS-80FA15IB	-			8.0			-
35	YDS-90FA15IB	-			9.0			-
36	YDS-112FA15IB	-			11.2			-
37	YDS-140FA15IB	-			14.0			-
38	YDS-22UA15IB	-		Ducted - Mid Static	2.2			-
39	YDS-28UA15IB	-			2.8			-
40	YDS-36UA15IB	-			3.6			-
41	YDS-45UA15IB	-			4.5			-
42	YDS-56UA15IB	-			5.6			-
43	YDS-71UA15IB	-			7.1			-
44	YDS-80UA15IB	-			8.0			-
45	YDS-90UA15IB	-			9.0			-
46	YDS-112UA15IB	-			11.2			-
47	YDS-140UA15IB	-			14.0			-



Edmund

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER


ITEM	MODEL		POWER (V / Ph / Hz)	TYPE OF INDOOR & COMPRESSOR	NOMINAL COOLING CAPACITY (kW)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
48	YDS-71TA15IB	-	220-240 / 1 / 50	Ducted - High Static	7.1	R22	CHINA	-
49	YDS-80TA15IB	-			8.0			-
50	YDS-80TA15IB	-			9.0			-
51	YDS-112TA15IB	-			11.2			-
52	YDS-140TA15IB	-			14.0			-
53	YDS-280TA15IB	-			28.0			-
54	-	YDS-100WC15A	220-240 / 1 / 50	Digital Scroll	10.0	R410A	CHINA	9.48
55	-	YDS-140WC15A			14.0			11.37
56	-	YDS-100WC35A	380 / 3 / 50		10.0			9.75
57	-	YDS-140WC35A			14.0			10.62
58	-	YDS-252WC35C			25.2			11.76
59	-	YDS-280WC35C			28.0			11.87
60	-	YDS-335WC35C			33.5			11.81
61	-	YDS-400WC35C			40.0			11.84
62	-	YDS-450WC35C			45.0			11.94
63	-	YDV-105WC35A		DC Inverter	10.5			10.54
64	-	YDV-140WC35A			14.0			11.65
65	-	YDV-160WC35A			16.0			11.87
66	-	YDV-252WC35A	25.2		14.17			
67	-	YDV-280WC35A	28.0		12.36			
68	-	YDV-335WC35A	33.5		11.57			
69	-	YDV-400WC35A	40.0		11.13			
70	-	YDV-450WC35A	45.0		10.93			
71	YDS-22GC15IA	-	220-240 / 1 / 50	4 Way Ceiling Cassette - Compact	2.2			-
72	YDS-28GC15IA	-			2.8			-
73	YDS-36GC15IA	-			3.6			-
74	YDS-45GC15IA	-			4.5			-
75	YDS-56GC15IA	-			5.6			-



Edmund

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	TYPE OF INDOOR & COMPRESSOR	NOMINAL COOLING CAPACITY (kW)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
76	YDS-28KC15IA	-	220-240 / 1 / 50	4 Way Ceiling Cassette	2.8	R410A	CHINA	-
77	YDS-36KC15IA	-			3.6			-
78	YDS-45KC15IA	-			4.5			-
79	YDS-56KC15IA	-			5.6			-
80	YDS-71KC15IA	-			7.1			-
81	YDS-80KC15IA	-			8.0			-
82	YDS-90KC15IA	-			9.0			-
83	YDS-112KC15IA	-			11.2			-
84	YDS-140KC15IA	-			14.0			-
85	YDS-22HC15IA	-		Wall Mounted	2.2			-
86	YDS-28HC15IA	-			2.8			-
87	YDS-36HC15IA	-			3.6			-
88	YDS-45HC15IA	-			4.5			-
89	YDS-56HC15IA	-			5.6			-
90	YDS-36FC15IA	-		Floor / Ceiling Suspended	3.6			-
91	YDS-45FC15IB	-			4.5			-
92	YDS-56FC15IA	-			5.6			-
93	YDS-71FC15IA	-			7.1			-
94	YDS-80FC15IA	-			8.0			-
95	YDS-80FC15IA	-			9.0			-
96	YDS-112FC15IA	-			11.2			-
97	YDS-140FC15IA	-			14.0			-



Edmund

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	TYPE OF INDOOR & COMPRESSOR	NOMINAL COOLING CAPACITY (kW)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
98	YDS-22UC15EA	-	220-240 / 1 / 50	Ducted - Mid Static	2.2	R410A	CHINA	-
99	YDS-28UC15EA	-			2.8			-
100	YDS-36UC15EA	-			3.6			-
101	YDS-45UC15IA	-			4.5			-
102	YDS-56UC15IA	-			5.6			-
103	YDS-71UC15IA	-			7.1			-
104	YDS-80UC15IA	-			8.0			-
105	YDS-90UC15IA	-			9.0			-
106	YDS-112UC15IA	-			11.2			-
107	YDS-140UC15IA	-			14.0			-
108	YDS-71TC15IA	-		Ducted - High Static	7.1			-
109	YDS-80TC15IA	-			8.0			-
110	YDS-90TC15IA	-			9.0			-
111	YDS-112TC15IA	-			11.2			-
112	YDS-140TC15IA	-			14.0			-
113	YDS-200TC15IA	-			20.0			-
114	YDS-250TC15IA	-			25.0			-
115	YDS-280TC15IA	-			28.0			-



Edmundo

MANUFACTURER TRADE NAME : YORK AIR-CONDITIONER

ITEM	MODEL		POWER (V / Ph / Hz)	TYPE OF INDOOR & COMPRESSOR	NOMINAL COOLING CAPACITY (kW)	REFRIGERANT	COUNTRY OF ORIGIN	EER (Btu/h.W)
	INDOOR	OUTDOOR						
116	YDS-22SC15IA-B	-	220-240 / 1 / 50	Exposed Floor Mounted	2.2	R410A	CHINA	-
117	YDS-28SC15IA-B	-			2.8			-
118	YDS-36SC15IA-B	-			3.6			-
119	YDS-45SC15IA-B	-			4.5			-
120	YDS-56SC15IA-B	-			5.6			-
121	YDS-71SC15IA-B	-			7.1			-
122	YDS-80SC15IA-B	-			8.0			-
123	YDS-22RC15IA	-		Concealed Floor Mounted	2.2			-
124	YDS-28RC15IA	-			2.8			-
125	YDS-36RC15IA	-			3.6			-
126	YDS-45RC15IA	-			4.5			-
127	YDS-56RC15IA	-			5.6			-
128	YDS-71RC15IA	-			7.1			-
129	YDS-80RC15IA	-			8.0			-



Edmundo