



اؤتوريتي كاولن باغونن دان ايندوستري قمبينائن كمنترين قمباغونن

AUTORITI KAWALAN BANGUNAN DAN INDUSTRI PEMBINAAN
KEMENTERIAN PEMBANGUNAN

PERSIJILAN PRODUK BAHAN-BAHAN BINAAN

NAMA PEMBEKAL	: LB SDN BHD
RUJUKAN PRODUK	: (0050)KPN/ABCi/8.2(a)
SKIM PERSIJILAN	: SKIM 2
PRODUK YANG DILULUSKAN	: YORK -Air Cooled Chiller -Air Handling Unit -Fan Coil Units -Water Cooled Chiller -Rooftop Package
TAJUK DAN NOMBOR PIAWAIAN	: ISO 9001:2015 Cert No. 744843
NOTA	: Sila rujuk Lampiran A bagi senarai model yang diluluskan
LAMPIRAN DISERTAKAN	: <input checked="" type="checkbox"/> YA <input type="checkbox"/> TIDAK

Kebenaran ini adalah sah mulai 29 Oktober 2018 hingga 29 Oktober 2020.

Dalam tempoh ini, Jawatankuasa Persijilan Produk atau pemeriksa pihak ketiga (*3rd Party*) yang dilantik berhak untuk menjalankan pemeriksaan ke atas produk-produk berkenaan, bagi memastikan kualiti yang memuaskan dari masa ke semasa.

Jika kualiti produk didapati tidak menepati standard dan kualiti seperti yang dihadapkan dalam tempoh persijilan, maka kebenaran ini akan dibatalkan dan penggunaan produk tidak boleh diguna pakai dalam mana-mana projek Kerajaan.

Pembekalan produk ini tertakluk kepada pendaftaran syarikat pembekal yang sah.



ABCi/PAY

Autoriti Kawalan Bangunan dan Industri Pembinaan
b/p Setiausaha Tetap (Teknikal & Profesional)
Kementerian Pembangunan

NO. RUJUKAN PERMOHONAN: E0062

NAMA SYARIKAT : LB SDN BHD

PRODUCT LIST FOR GUANGZHOU - AIR - COOLED CHILLER - YORK

YLAA AIR - COOLED SCROLL CHILLERS WITH BRAZED PLATE HEAT EXCHANGERS

MODEL	CHILLER PERFORMANCE	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY (TONS)	VOLTS (V)	FREQUENCY	MANUFACTURER
YLAA 0180	1.17KW/ton	2.99	HERMETIC SCROLL	R410A	51 - 54	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0210	1.50KW/ton	2.34	HERMETIC SCROLL	R410A	54 - 57	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0241	1.26KW/ton	2.78	HERMETIC SCROLL	R410A	59 - 62	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0286	1.34KW/ton	2.61	HERMETIC SCROLL	R410A	73 - 76	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0320	1.48KW/ton	2.37	HERMETIC SCROLL	R410A	83 - 87	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0360	1.35KW/ton	2.6	HERMETIC SCROLL	R410A	94 - 99	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0400	1.42KW/ton	2.47	HERMETIC SCROLL	R410A	105 - 110	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0435	1.36KW/ton	2.58	HERMETIC SCROLL	R410A	114 - 120	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0485	1.40KW/ton	2.5	HERMETIC SCROLL	R410A	128 - 135	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0195	1.13KW/ton	3.11	HERMETIC SCROLL	R410A	54 - 57	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0221	1.09KW/ton	3.22	HERMETIC SCROLL	R410A	57 - 60	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0261	1.13KW/ton	3.11	HERMETIC SCROLL	R410A	67 - 70	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0301	1.16KW/ton	3.01	HERMETIC SCROLL	R410A	80 - 84	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0350	1.18KW/ton	2.98	HERMETIC SCROLL	R410A	93 - 98	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0391	1.18KW/ton	2.98	HERMETIC SCROLL	R410A	103 - 108	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 442	1.18KW/ton	2.98	HERMETIC SCROLL	R410A	115 - 121	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 457	1.19KW/ton	2.94	HERMETIC SCROLL	R410A	123 - 130	360 - 440	50Hz	GUANGZHOU, CHINA
YLAA 517	1.18KW/ton	2.97	HERMETIC SCROLL	R410A	140 - 147	360 - 440	50Hz	GUANGZHOU, CHINA

YLAA AIR - COOLED SCROLL CHILLERS

MODEL	CHILLER PERFORMANCE	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY (kW)	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YLAA 0195YE	1.14KW/ton	3.08	HERMETIC SCROLL	R410A	186 - 196	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0220YE	1.10KW/ton	3.17	HERMETIC SCROLL	R410A	202 - 213	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0260YE	1.16KW/ton	3.03	HERMETIC SCROLL	R410A	240 - 253	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0300YE	1.13KW/ton	3.1	HERMETIC SCROLL	R410A	295 - 310	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0350YE	1.13KW/ton	3.1	HERMETIC SCROLL	R410A	329 - 346	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0390YE	1.16KW/ton	3.03	HERMETIC SCROLL	R410A	367 - 386	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0440YE	1.15KW/ton	3.04	HERMETIC SCROLL	R410A	408 - 429	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0455YE	1.14KW/ton	3.07	HERMETIC SCROLL	R410A	429 - 451	342 - 440	50Hz	GUANGZHOU, CHINA
YLAA 0515YE	1.14KW/ton	3.06	HERMETIC SCROLL	R410A	495 - 521	342 - 440	50Hz	GUANGZHOU, CHINA

YAEP HIGH AMBIENT AIR - COOLED LIQUID CHILLERS

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY (TONS)	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YAEP 06RA7C	1kW/ton	3.52	RECIPROCATING	R22	59 - 62	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 07RA7C	1.08kW/ton	3.26	RECIPROCATING	R22	68 - 72	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 08TA7C	1.07kW/ton	3.29	RECIPROCATING	R22	82 - 86	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 09TA7C	1.03kW/ton	3.41	RECIPROCATING	R22	100 - 105	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 75UC9C	1.1kW/ton	3.2	RECIPROCATING	R22	119 - 125	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 77UC9C	1.16kW/ton	3.03	RECIPROCATING	R22	131 - 138	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 77W9C	1.13kW/ton	3.11	RECIPROCATING	R22	145 - 153	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 97VB7C	0.9kW/ton	3.9	RECIPROCATING	R22	167 - 176	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 99VB7C	0.86kW/ton	4.09	RECIPROCATING	R22	188 - 198	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 99VD9C	1.01kW/ton	3.48	RECIPROCATING	R22	200 - 211	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 99WD9C	0.99kW/ton	3.55	RECIPROCATING	R22	212 - 223	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 997YH7C	1.13kW/ton	3.11	RECIPROCATING	R22	261 - 275	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 999YK9C	0.99kW/ton	3.55	RECIPROCATING	R22	317 - 351	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 7575U9C	1.1kW/ton	3.2	RECIPROCATING	R22	238 - 250	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9797VB7C	1.11kW/ton	3.17	RECIPROCATING	R22	335 - 353	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9999VB7C	1.16kW/ton	3.03	RECIPROCATING	R22	375 - 395	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9999VD9C	1.02kW/ton	3.45	RECIPROCATING	R22	400 - 422	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9999WD9C	1kW/ton	3.52	RECIPROCATING	R22	424 - 469	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 06RA7B	1.07kW/ton	3.29	RECIPROCATING	R407C	55 - 58	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 07RA7B	1.05kW/ton	3.35	RECIPROCATING	R407C	70 - 74	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 08TC7B	1.05kW/ton	3.35	RECIPROCATING	R407C	80 - 84	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 09TC9B	1.07kW/ton	2.29	RECIPROCATING	R407C	96 - 101	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 55UC9B	1.08kW/ton	3.26	RECIPROCATING	R407C	105 - 110	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 75UC9B	1.18kW/ton	2.98	RECIPROCATING	R407C	114 - 120	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 77UF7B	1.09kW/ton	3.23	RECIPROCATING	R407C	136 - 143	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 77WF7B	1.07kW/ton	3.29	RECIPROCATING	R407C	145 - 153	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 97VD7B	1.04kW/ton	3.38	RECIPROCATING	R407C	171 - 180	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 99VD7B	1.12kW/ton	3.14	RECIPROCATING	R407C	190 - 200	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 99WD9B	1.09kW/ton	3.23	RECIPROCATING	R407C	201 - 211	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 777YG7B	1.03kW/ton	3.41	RECIPROCATING	R407C	221 - 233	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 997YJ7B	1.06kW/ton	3.32	RECIPROCATING	R407C	272 - 286	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 999YK9B	1.05kW/ton	3.35	RECIPROCATING	R407C	300 - 316	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 7575UC9B	1.18kW/ton	2.98	RECIPROCATING	R407C	236 - 241	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9797VD7B	1.04kW/ton	3.38	RECIPROCATING	R407C	353 - 360	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9999VD7B	1.12kW/ton	3.14	RECIPROCATING	R407C	391 - 399	342 - 440	50Hz	GUANGZHOU, CHINA
YAEP 9999WD9B	1.05kW/ton	3.35	RECIPROCATING	R407C	413 - 421	342 - 440	50Hz	GUANGZHOU, CHINA

YVAA AIR - COOLED SCREW CHILLERS WITH VARIABLE SPEED DRIVE

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YVAA0153BAF46	1.17kW/ton	3	SEMI - HERMETIC SCREW	R134A	143 - 150 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0183ABF46	1.17kW/ton	3	SEMI - HERMETIC SCREW	R134A	166 - 175 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0233BEF46	1.13kW/ton	3.1	SEMI - HERMETIC SCREW	R134A	196 - 200 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0273DGF46	1.1kW/ton	3.2	SEMI - HERMETIC SCREW	R134A	245 - 250 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0343EKF46	1.1kW/ton	3.2	SEMI - HERMETIC SCREW	R134A	294 - 300 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0373FJF46	1.17kW/ton	3	SEMI - HERMETIC SCREW	R134A	343 - 350 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0443FMF46	1.13kW/ton	3.1	SEMI - HERMETIC SCREW	R134A	392 - 400 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0523HMF46	1.1kW/ton	3.2	SEMI - HERMETIC SCREW	R134A	441 - 450 TONS	380 - 415	50Hz	GUANGZHOU, CHINA
YVAA0523HMG46	1.13kW/ton	3.1	SEMI - HERMETIC SCREW	R134A	490 - 500 TONS	380 - 415	50Hz	GUANGZHOU, CHINA

YCAE (R410A) MODULAR AIR - COOLED CHILLER/HEAT PUMP

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YCAE065SME53	1.11kW/ton	3.16	HERMETIC SCROLL	R410A	61 - 67 KW	380 - 415	50Hz	GUANGZHOU, CHINA
YCAE065RME53	1.11kW/ton	3.16	HERMETIC SCROLL	R410A	61 - 67 KW	380 - 415	50Hz	GUANGZHOU, CHINA
YCAE100SME53	1.05kW/ton	3.35	HERMETIC SCROLL	R410A	94 - 104 KW	380 - 415	50Hz	GUANGZHOU, CHINA
YCAE100RME53	1.05kW/ton	3.35	HERMETIC SCROLL	R410A	94 - 104 KW	380 - 415	50Hz	GUANGZHOU, CHINA

YGFC FAN COIL UNITS

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	RANGE OF CAPACITY (CFM)			MANUFACTURER
				HIGH	MEDIUM	LOW	
YGFC02	DUCT MOUNTED	CHILLED WATER	2 - 3	200	159	106	GUANGZHOU, CHINA
YGFC03	DUCT MOUNTED	CHILLED WATER	3 - 4	294	247	177	GUANGZHOU, CHINA
YGFC04	DUCT MOUNTED	CHILLED WATER	4 - 4	394	335	207	GUANGZHOU, CHINA
YGFC05	DUCT MOUNTED	CHILLED WATER	4 - 5	483	377	283	GUANGZHOU, CHINA
YGFC06	DUCT MOUNTED	CHILLED WATER	5 - 6	594	447	306	GUANGZHOU, CHINA
YGFC07	DUCT MOUNTED	CHILLED WATER	6 - 7	683	530	347	GUANGZHOU, CHINA
YGFC08	DUCT MOUNTED	CHILLED WATER	7 - 9	795	647	483	GUANGZHOU, CHINA
YGFC10	DUCT MOUNTED	CHILLED WATER	8 - 10	989	765	518	GUANGZHOU, CHINA
YGFC12	DUCT MOUNTED	CHILLED WATER	10 - 12	1177	912	647	GUANGZHOU, CHINA
YGFC014	DUCT MOUNTED	CHILLED WATER	11 - 14	1371	1030	753	GUANGZHOU, CHINA

AIR HANDLING UNIT - YORK
YSE AIR HANDLING UNIT

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	AIR FLOW (CFM)	MANUFACTURE
YSE02HS/HD	DUCTED	CHILLED WATER	8 - 11	1177	GUANGZHOU, CHINA
YSE03HS/HD	DUCTED	CHILLED WATER	13 - 17	1766	GUANGZHOU, CHINA
YSE04HS/HD	DUCTED	CHILLED WATER	17 - 23	2354	GUANGZHOU, CHINA
YSE05HS/HD	DUCTED	CHILLED WATER	22 - 30	2942	GUANGZHOU, CHINA
YSE06HS/HD	DUCTED	CHILLED WATER	27 - 36	3531	GUANGZHOU, CHINA
YSE07HS/HD	DUCTED	CHILLED WATER	32 - 43	4120	GUANGZHOU, CHINA
YSE08HS/HD	DUCTED	CHILLED WATER	37 - 49	4708	GUANGZHOU, CHINA
YSE10HS/HD	DUCTED	CHILLED WATER	43 - 58	5886	GUANGZHOU, CHINA
YSE12HS/HD	DUCTED	CHILLED WATER	49 - 65	7063	GUANGZHOU, CHINA
YSE15HS/HD	DUCTED	CHILLED WATER	64 - 85	8829	GUANGZHOU, CHINA
YSE18HS/HD	DUCTED	CHILLED WATER	78 - 104	12594	GUANGZHOU, CHINA
YSE20HS/HD	DUCTED	CHILLED WATER	89 - 118	11772	GUANGZHOU, CHINA
YSE22HS/HD	DUCTED	CHILLED WATER	97 - 130	12949	GUANGZHOU, CHINA
YSE25HS/HD	DUCTED	CHILLED WATER	114 - 151	14714	GUANGZHOU, CHINA
YSE28HS/HD	DUCTED	CHILLED WATER	128 - 170	16480	GUANGZHOU, CHINA
YSE30HS/HD	DUCTED	CHILLED WATER	139 - 185	17657	GUANGZHOU, CHINA
YSE33HS/HD	DUCTED	CHILLED WATER	155 - 207	19423	GUANGZHOU, CHINA
YSE36HS/HD	DUCTED	CHILLED WATER	172 - 229	21189	GUANGZHOU, CHINA
YSE02VS/VD	DUCTED	CHILLED WATER	8 - 11	1177	GUANGZHOU, CHINA
YSE03VS/VD	DUCTED	CHILLED WATER	13 - 17	1766	GUANGZHOU, CHINA
YSE04VS/VD	DUCTED	CHILLED WATER	17 - 22	2354	GUANGZHOU, CHINA
YSE05VS/VD	DUCTED	CHILLED WATER	21 - 28	2942	GUANGZHOU, CHINA
YSE06VS/VD	DUCTED	CHILLED WATER	25 - 34	3531	GUANGZHOU, CHINA
YSE07VS/VD	DUCTED	CHILLED WATER	30 - 40	4120	GUANGZHOU, CHINA
YSE08VS/VD	DUCTED	CHILLED WATER	34 - 46	4708	GUANGZHOU, CHINA
YSE10VS/VD	DUCTED	CHILLED WATER	43 - 58	5886	GUANGZHOU, CHINA
YSE12VS/VD	DUCTED	CHILLED WATER	52 - 70	7063	GUANGZHOU, CHINA
YSE15VS/VD	DUCTED	CHILLED WATER	64 - 85	8829	GUANGZHOU, CHINA
YSE18VS/VD	DUCTED	CHILLED WATER	80 - 107	12594	GUANGZHOU, CHINA
YSE20VS/VD	DUCTED	CHILLED WATER	89 - 119	11772	GUANGZHOU, CHINA
YSE22VS/VD	DUCTED	CHILLED WATER	98 - 131	12949	GUANGZHOU, CHINA
YSE25VS/VD	DUCTED	CHILLED WATER	112 - 149	14714	GUANGZHOU, CHINA

YSM AIR HANDLING UNIT

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	AIR FLOW (CFM)	MANUFACTURE
YSM507	AIR HANDLING UNIT	CHILLER WATER	4 - 5	927	GUANGZHOU, CHINA
YSM511	AIR HANDLING UNIT	CHILLER WATER	9 - 12	1695	GUANGZHOU, CHINA
YSM707	AIR HANDLING UNIT	CHILLER WATER	6 - 8	1391	GUANGZHOU, CHINA
YSM709	AIR HANDLING UNIT	CHILLER WATER	10 - 13	1966	GUANGZHOU, CHINA
YSM713	AIR HANDLING UNIT	CHILLER WATER	17 - 23	3118	GUANGZHOU, CHINA
YSM715	AIR HANDLING UNIT	CHILLER WATER	20 - 27	3693	GUANGZHOU, CHINA
YSM909	AIR HANDLING UNIT	CHILLER WATER	13 - 18	2622	GUANGZHOU, CHINA
YSM911	AIR HANDLING UNIT	CHILLER WATER	18 - 24	3389	GUANGZHOU, CHINA
YSM915	AIR HANDLING UNIT	CHILLER WATER	27 - 36	4924	GUANGZHOU, CHINA
YSM1111	AIR HANDLING UNIT	CHILLER WATER	23 - 31	4236	GUANGZHOU, CHINA
YSM1115	AIR HANDLING UNIT	CHILLER WATER	34 - 45	6155	GUANGZHOU, CHINA
YSM1117	AIR HANDLING UNIT	CHILLER WATER	40 - 53	7115	GUANGZHOU, CHINA
YSM1120	AIR HANDLING UNIT	CHILLER WATER	47 - 53	8553	GUANGZHOU, CHINA
YSM1313	AIR HANDLING UNIT	CHILLER WATER	35 - 47	6235	GUANGZHOU, CHINA
YSM1315	AIR HANDLING UNIT	CHILLER WATER	40 - 54	7386	GUANGZHOU, CHINA
YSM1318	AIR HANDLING UNIT	CHILLER WATER	51 - 69	9113	GUANGZHOU, CHINA
YSM1515	AIR HANDLING UNIT	CHILLER WATER	47 - 63	8619	GUANGZHOU, CHINA
YSM1518	AIR HANDLING UNIT	CHILLER WATER	60 - 80	10631	GUANGZHOU, CHINA
YSM1520	AIR HANDLING UNIT	CHILLER WATER	66 - 88	11975	GUANGZHOU, CHINA
YSM1524	AIR HANDLING UNIT	CHILLER WATER	83 - 110	14661	GUANGZHOU, CHINA
YSM1527	AIR HANDLING UNIT	CHILLER WATER	95 - 127	16676	GUANGZHOU, CHINA
YSM1719	AIR HANDLING UNIT	CHILLER WATER	74 - 98	12918	GUANGZHOU, CHINA
YSM1722	AIR HANDLING UNIT	CHILLER WATER	84 - 113	15220	GUANGZHOU, CHINA
YSM1726	AIR HANDLING UNIT	CHILLER WATER	104 - 139	18290	GUANGZHOU, CHINA
YSM1728	AIR HANDLING UNIT	CHILLER WATER	114 - 152	19825	GUANGZHOU, CHINA
YSM2020	AIR HANDLING UNIT	CHILLER WATER	84 - 113	15396	GUANGZHOU, CHINA
YSM2022	AIR HANDLING UNIT	CHILLER WATER	95 - 127	17123	GUANGZHOU, CHINA
YSM2028	AIR HANDLING UNIT	CHILLER WATER	128 - 171	22303	GUANGZHOU, CHINA
YSM2222	AIR HANDLING UNIT	CHILLER WATER	106 - 141	19025	GUANGZHOU, CHINA
YSM2224	AIR HANDLING UNIT	CHILLER WATER	118 - 157	20944	GUANGZHOU, CHINA
YSM2228	AIR HANDLING UNIT	CHILLER WATER	142 - 190	24782	GUANGZHOU, CHINA
YSM2424	AIR HANDLING UNIT	CHILLER WATER	130 - 173	23039	GUANGZHOU, CHINA
YSM2429	AIR HANDLING UNIT	CHILLER WATER	163 - 218	28315	GUANGZHOU, CHINA
YSM2433	AIR HANDLING UNIT	CHILLER WATER	175 - 233	32536	GUANGZHOU, CHINA
YSM2436	AIR HANDLING UNIT	CHILLER WATER	194 - 259	35702	GUANGZHOU, CHINA
YSM2828	AIR HANDLING UNIT	CHILLER WATER	185 - 246	32216	GUANGZHOU, CHINA
YSM2834	AIR HANDLING UNIT	CHILLER WATER	215 - 286	39699	GUANGZHOU, CHINA
YSM3036	AIR HANDLING UNIT	CHILLER WATER	248 - 330	45439	GUANGZHOU, CHINA
YSM3232	AIR HANDLING UNIT	CHILLER WATER	230 - 306	42928	GUANGZHOU, CHINA
YSM3236	AIR HANDLING UNIT	CHILLER WATER	265 - 354	48684	GUANGZHOU, CHINA

NO. RUJUKAN PERMOHONAN: E0062

NAMA SYARIKAT : LB SDN BHD

PRODUCT LIST FOR MALAYSIA FAN COIL UNITS - YORK

DCP-FC FAN COIL UNITS

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	RANGE OF CAPACITY (CFM)			MANUFACTURER
				LOW	MEDIUM	HIGH	
DCP 06FC	DUCTED DIRECT DRIVE	CHILLED WATER	5 - 6	704	784	788	MALAYSIA
DCP 08FC	DUCTED DIRECT DRIVE	CHILLED WATER	7 - 8	763	891	909	MALAYSIA
DCP 10FC	DUCTED DIRECT DRIVE	CHILLED WATER	8 - 10	928	1039	1077	MALAYSIA
DCP 12FC	DUCTED DIRECT DRIVE	CHILLED WATER	10 - 12	1245	1366	1483	MALAYSIA
DCP 14FC	DUCTED DIRECT DRIVE	CHILLED WATER	11 - 14	1291	1476	1624	MALAYSIA
DCP 16FC	DUCTED DIRECT DRIVE	CHILLED WATER	12 - 15	1303	1459	1622	MALAYSIA
DCP 18FC	DUCTED DIRECT DRIVE	CHILLED WATER	14 - 17	1484	1613	1642	MALAYSIA
DCP 20FC	DUCTED DIRECT DRIVE	CHILLED WATER	15 - 19	1640	1790	1843	MALAYSIA

DB-B FAN COIL UNITS

MODEL	TYPE	CHILLED WATER / DX TYPE	RANGE OF CAPACITY (kW)	RANGE OF CAPACITY (CFM)			MANUFACTURER
				LOW	MEDIUM	HIGH	
DB 08	BELT DRIVE	CHILLED WATER	8 - 10	402	656	889	MALAYSIA
DB 12	BELT DRIVE	CHILLED WATER	13 - 16	868	1186	1483	MALAYSIA
DB 16	BELT DRIVE	CHILLED WATER	17 - 22	1144	1567	1970	MALAYSIA
DB 20	BELT DRIVE	CHILLED WATER	22 - 28	1473	2012	2542	MALAYSIA
DB 30	BELT DRIVE	CHILLED WATER	32 - 40	2118	2881	3623	MALAYSIA
DB 40	BELT DRIVE	CHILLED WATER	43 - 54	2690	3898	4956	MALAYSIA

YCF SERIES

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	RANGE OF CAPACITY (CFM)			MANUFACTURER
				LOW	MEDIUM	HIGH	
YCF20	DUCTED	CHILLED WATER	15 - 19	1101	1652	2118	MALAYSIA
YCF30	DUCTED	CHILLED WATER	25 - 31	1906	2690	3432	MALAYSIA
YCF46	DUCTED	CHILLED WATER	38 - 47	2839	4047	5170	MALAYSIA
YCF62	DUCTED	CHILLED WATER	52 - 65	4004	5593	7161	MALAYSIA
YCF200	DUCTED	CHILLED WATER	80 - 100	5996	8666	11081	MALAYSIA
YCF120	DUCTED	CHILLED WATER	100 - 126	7755	10933	13878	MALAYSIA

YSM - B AIR HANDLING UNIT

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	AIR FLOW (CFM)	MANUFACTURE
YSM-B 02V	AIR HANDLING UNIT	CHILLED WATER	8 - 11	1177	MALAYSIA
YSM-B 03V	AIR HANDLING UNIT	CHILLED WATER	13 - 17	1766	MALAYSIA
YSM-B 04V	AIR HANDLING UNIT	CHILLED WATER	17 - 22	2354	MALAYSIA
YSM-B 05V	AIR HANDLING UNIT	CHILLED WATER	21 - 28	2942	MALAYSIA
YSM-B 06V	AIR HANDLING UNIT	CHILLED WATER	25 - 34	3531	MALAYSIA
YSM-B 07V	AIR HANDLING UNIT	CHILLED WATER	30 - 40	4120	MALAYSIA
YSM-B 08V	AIR HANDLING UNIT	CHILLED WATER	34 - 46	4708	MALAYSIA
YSM-B 10V	AIR HANDLING UNIT	CHILLED WATER	43 - 58	5886	MALAYSIA
YSM-B 12V	AIR HANDLING UNIT	CHILLED WATER	52 - 70	7063	MALAYSIA
YSM-B 15V	AIR HANDLING UNIT	CHILLED WATER	64 - 85	8829	MALAYSIA
YSM-B 18V	AIR HANDLING UNIT	CHILLED WATER	80 - 107	10594	MALAYSIA
YSM-B 20V	AIR HANDLING UNIT	CHILLED WATER	89 - 119	11772	MALAYSIA
YSM-B 22V	AIR HANDLING UNIT	CHILLED WATER	- 131	12949	MALAYSIA
YSM-B 02H	AIR HANDLING UNIT	CHILLED WATER	8 - 11	1177	MALAYSIA
YSM-B 03H	AIR HANDLING UNIT	CHILLED WATER	13 - 17	1766	MALAYSIA
YSM-B 04H	AIR HANDLING UNIT	CHILLED WATER	17 - 23	2354	MALAYSIA
YSM-B 05H	AIR HANDLING UNIT	CHILLED WATER	21 - 28	2942	MALAYSIA
YSM-B 06H	AIR HANDLING UNIT	CHILLED WATER	27 - 36	3531	MALAYSIA
YSM-B 07H	AIR HANDLING UNIT	CHILLED WATER	32 - 43	4120	MALAYSIA
YSM-B 08H	AIR HANDLING UNIT	CHILLED WATER	37 - 49	4708	MALAYSIA
YSM-B 10H	AIR HANDLING UNIT	CHILLED WATER	43 - 58	5886	MALAYSIA
YSM-B 12H	AIR HANDLING UNIT	CHILLED WATER	49 - 65	7063	MALAYSIA
YSM-B 15H	AIR HANDLING UNIT	CHILLED WATER	64 - 85	8829	MALAYSIA
YSM-B 18 H	AIR HANDLING UNIT	CHILLED WATER	78 - 104	10594	MALAYSIA
YSM-B 20H	AIR HANDLING UNIT	CHILLED WATER	89 - 118	11772	MALAYSIA
YSM-B 22H	AIR HANDLING UNIT	CHILLED WATER	97 - 130	12949	MALAYSIA
YSM-B 25H	AIR HANDLING UNIT	CHILLED WATER	114 - 151	14714	MALAYSIA
YSM-B 28H	AIR HANDLING UNIT	CHILLED WATER	128 - 170	16480	MALAYSIA
YSM-B 30H	AIR HANDLING UNIT	CHILLED WATER	139 - 185	17657	MALAYSIA
YSM-B 33H	AIR HANDLING UNIT	CHILLED WATER	155 - 207	19423	MALAYSIA
YSM-B 36H	AIR HANDLING UNIT	CHILLED WATER	172 - 229	21189	MALAYSIA
YSM-B 40H	AIR HANDLING UNIT	CHILLED WATER	187 - 250	23543	MALAYSIA
YSM-B 45H	AIR HANDLING UNIT	CHILLED WATER	212 - 283	26486	MALAYSIA

YAH AIR HANDLING UNIT

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	AIR FLOW (CFM)	MANUFACTURE
YAH1.5B	FRESH AIR UNIT	CHILLED WATER	6 - 8	883	MALAYSIA
YAH02B	FRESH AIR UNIT	CHILLED WATER	9 - 12	1177	MALAYSIA
YAH03B	FRESH AIR UNIT	CHILLED WATER	13 - 17	1766	MALAYSIA
YAH04B	FRESH AIR UNIT	CHILLED WATER	17 - 23	2354	MALAYSIA
YAH05B	FRESH AIR UNIT	CHILLED WATER	21 - 28	2943	MALAYSIA
YAH06B	FRESH AIR UNIT	CHILLED WATER	26 - 34	3531	MALAYSIA
YAH08B	FRESH AIR UNIT	CHILLED WATER	35 - 47	4709	MALAYSIA
YAHB10B	FRESH AIR UNIT	CHILLED WATER	44 - 59	5886	MALAYSIA
YAHB12B	FRESH AIR UNIT	CHILLED WATER	55 - 73	7063	MALAYSIA
YAH015B	FRESH AIR UNIT	CHILLED WATER	71 - 95	8829	MALAYSIA

JABATAN PERKHIDMATAN MEKANIKAL DAN ELEKTRIKAL
DEPARTMENT OF MECHANICAL AND ELECTRICAL SERVICES

YSM AIR HANDLING UNIT

MODEL	TYPE	CHILLED WATER/DX TYPE	RANGE OF CAPACITY (kW)	AIR FLOW (CFM)	MANUFACTURE
YSM20 x 20	AIR HANDLING UNIT	CHILLER WATER	12 - 16	1314	MALAYSIA
YSM20 x 30	AIR HANDLING UNIT	CHILLER WATER	23 - 30	2246	MALAYSIA
YSM20 x 40	AIR HANDLING UNIT	CHILLER WATER	32 - 42	3157	MALAYSIA
YSM20 x 50	AIR HANDLING UNIT	CHILLER WATER	42 - 56	4090	MALAYSIA
YSM30 x 30	AIR HANDLING UNIT	CHILLER WATER	39 - 52	3920	MALAYSIA
YSM30 x 40	AIR HANDLING UNIT	CHILLER WATER	52 - 69	5531	MALAYSIA
YSM30 x 50	AIR HANDLING UNIT	CHILLER WATER	69 - 92	7141	MALAYSIA
YSM30 x 60	AIR HANDLING UNIT	CHILLER WATER	88 - 117	8751	MALAYSIA
YSM30 x 70	AIR HANDLING UNIT	CHILLER WATER	101 - 134	10362	MALAYSIA
YSM40 x 50	AIR HANDLING UNIT	CHILLER WATER	74 - 98	9705	MALAYSIA
YSM40 x 60	AIR HANDLING UNIT	CHILLER WATER	98 - 131	11888	MALAYSIA
YSM40 x 70	AIR HANDLING UNIT	CHILLER WATER	120 - 160	14070	MALAYSIA
YSM40 x 80	AIR HANDLING UNIT	CHILLER WATER	136 - 181	16253	MALAYSIA
YSM50 x 50	AIR HANDLING UNIT	CHILLER WATER	161 - 215	12248	MALAYSIA
YSM50 x 60	AIR HANDLING UNIT	CHILLER WATER	124 - 165	15003	MALAYSIA
YSM50 x 70	AIR HANDLING UNIT	CHILLER WATER	149 - 199	17778	MALAYSIA
YSM50 x 80	AIR HANDLING UNIT	CHILLER WATER	172 - 229	20533	MALAYSIA
YSM60 x 60	AIR HANDLING UNIT	CHILLER WATER	203 - 270	18139	MALAYSIA
YSM60 x 70	AIR HANDLING UNIT	CHILLER WATER	181 - 241	21465	MALAYSIA
YSM60 x 80	AIR HANDLING UNIT	CHILLER WATER	206 - 275	24813	MALAYSIA
YSM70 x 70	AIR HANDLING UNIT	CHILLER WATER	245 - 326	25174	MALAYSIA
YSM70 x 80	AIR HANDLING UNIT	CHILLER WATER	245 - 326	29094	MALAYSIA
YSM70 x 90	AIR HANDLING UNIT	CHILLER WATER	287 - 383	32993	MALAYSIA
YSM70 x 100	AIR HANDLING UNIT	CHILLER WATER	330 - 440	36871	MALAYSIA
YSM70 x 110	AIR HANDLING UNIT	CHILLER WATER	377 - 502	40791	MALAYSIA
YSM70 x 120	AIR HANDLING UNIT	CHILLER WATER	421 - 561	44690	MALAYSIA
YSM80 x 90	AIR HANDLING UNIT	CHILLER WATER	461 - 614	36871	MALAYSIA
YSM80 x 100	AIR HANDLING UNIT	CHILLER WATER	318 - 424	41215	MALAYSIA
YSM80 x 110	AIR HANDLING UNIT	CHILLER WATER	368 - 490	45580	MALAYSIA
YSM80 x 120	AIR HANDLING UNIT	CHILLER WATER	419 - 558	49966	MALAYSIA

NO. RUJUKAN PERMOHONAN: E0062

NAMA SYARIKAT : LB SDN BHD

PRODUCT LIST FOR WUXI - WATER COOL CHILLER - YORK

YEWS WATER COOLED SCROLL CHILLER

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY (TONS)	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YEWS 100	0.673kW/ton	5.22	SEMI - HERMETIC SCREW	R134A	89.3 - 102	342 - 456.5	50Hz	WUXI, CHINA
YEWS 130	0.662kW/ton	5.31	SEMI - HERMETIC SCREW	R134A	112 - 128	342 - 456.5	50Hz	WUXI, CHINA
YEWS 170	0.652kW/ton	5.39	SEMI - HERMETIC SCREW	R134A	145.3 - 166	342 - 456.5	50Hz	WUXI, CHINA
YEWS 200	0.662kW/ton	5.31	SEMI - HERMETIC SCREW	R134A	175.9 - 201	342 - 456.5	50Hz	WUXI, CHINA
YEWS 250	0.640kW/ton	5.49	SEMI - HERMETIC SCREW	R134A	220.9 - 251	342 - 456.5	50Hz	WUXI, CHINA

YK CENTRIFUGAL LIQUID CHILLER

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY (kW)	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YK Q3 - Q7	0.563kW/ton	6.24	CENTRIFUGAL	R134A	800 - 1200	340 - 425	50Hz	WUXI, CHINA
YK P7 - P9	0.559kW/ton	6.28	CENTRIFUGAL	R134A	1750 - 2800	340 - 425	50Hz	WUXI, CHINA
YK H9	0.557kW/ton	6.31	CENTRIFUGAL	R134A	2400 - 3800	340 - 425	50Hz	WUXI, CHINA
YK K1 - K7	0.545kW/ton	6.44	CENTRIFUGAL	R134A	3200 - 9850	340 - 425	50Hz	WUXI, CHINA
YK - EP	0.544kW/ton	6.46	CENTRIFUGAL	R134A	8800 - 11250	340 - 425	50Hz	WUXI, CHINA

YR

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY (kW)	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YR T0	0.564kW/ton	6.23	TWIN ROTARY SCREW	R134A	547 - 730	253 - 329.8	50Hz	WUXI, CHINA
YR T1	0.560kW/ton	6.27	TWIN ROTARY SCREW	R134A	660 - 880	253 - 329.8	50Hz	WUXI, CHINA
YR T2	0.557kW/ton	6.31	TWIN ROTARY SCREW	R134A	772 - 1030	253 - 329.8	50Hz	WUXI, CHINA
YR T3	0.545kW/ton	6.44	TWIN ROTARY SCREW	R134A	937 - 1250	253 - 329.8	50Hz	WUXI, CHINA
YR T4	0.544kW/ton	6.46	TWIN ROTARY SCREW	R134A	1162 - 1550	253 - 329.8	50Hz	WUXI, CHINA
YR T5	0.539kW/ton	6.52	TWIN ROTARY SCREW	R134A	1372 - 1830	253 - 329.8	50Hz	WUXI, CHINA

YMC2

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YMC2 S0900AA	0.550kW/ton	6.39	MAGNETIC CENTRIFUGAL	R134A	765 - 900	388 - 427.5	50Hz	WUXI, CHINA
YMC2 S1000AA	0.545kW/ton	6.44	MAGNETIC CENTRIFUGAL	R134A	850 - 1000	388 - 427.5	50Hz	WUXI, CHINA
YMC2 S1100AA	0.547kW/ton	6.42	MAGNETIC CENTRIFUGAL	R134A	935 - 1100	388 - 427.5	50Hz	WUXI, CHINA
YMC2 S1200AA	0.555kW/ton	6.33	MAGNETIC CENTRIFUGAL	R134A	1140 - 1200	388 - 427.5	50Hz	WUXI, CHINA
YMC2 S1300AA	0.591kW/ton	5.94	MAGNETIC CENTRIFUGAL	R134A	1105 - 1300	388 - 427.5	50Hz	WUXI, CHINA



DME

**JABATAN PERKHIDMATAN MEKANIKAL DAN ELEKTRIKAL
DEPARTMENT OF MECHANICAL AND ELECTRICAL SERVICES**

NO. RUJUKAN PERMOHONAN: E0062
 NAMA SYARIKAT : LB SDN BHD

PRODUCT LIST FOR USA - AIR - COOLED CHILLER - YORK

YLAA AIR - COOLED SCROLL CHILLERS WITH BRAZED PLATE HEAT EXCHANGERS

MODEL	CHILLER PERFORMANCE	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	VOLTS (V)	FREQUENCY	MANUFACTURER
YLAA 0180	1.17KW/ton	2.99	HERMETIC SCROLL	R410A	51 - 54 TONS	360 - 440	50Hz	USA
YLAA 0210	1.50KW/ton	2.34	HERMETIC SCROLL	R410A	54 - 57 TONS	360 - 440	50Hz	USA
YLAA 0241	1.26KW/ton	2.78	HERMETIC SCROLL	R410A	59 - 62 TONS	360 - 440	50Hz	USA
YLAA 0286	1.34KW/ton	2.61	HERMETIC SCROLL	R410A	73 - 76 TONS	360 - 440	50Hz	USA
YLAA 0320	1.48KW/ton	2.37	HERMETIC SCROLL	R410A	83 - 87 TONS	360 - 440	50Hz	USA
YLAA 0360	1.35KW/ton	2.6	HERMETIC SCROLL	R410A	94 - 99 TONS	360 - 440	50Hz	USA
YLAA 0400	1.42KW/ton	2.47	HERMETIC SCROLL	R410A	105 - 110 TONS	360 - 440	50Hz	USA
YLAA 0435	1.36KW/ton	2.58	HERMETIC SCROLL	R410A	114 - 120 TONS	360 - 440	50Hz	USA
YLAA 0485	1.40KW/ton	2.5	HERMETIC SCROLL	R410A	128 - 135 TONS	360 - 440	50Hz	USA
YLAA 0195	1.13KW/ton	3.11	HERMETIC SCROLL	R410A	54 - 57 TONS	360 - 440	50Hz	USA
YLAA 0221	1.09KW/ton	3.22	HERMETIC SCROLL	R410A	57 - 60 TONS	360 - 440	50Hz	USA
YLAA 0261	1.13KW/ton	3.11	HERMETIC SCROLL	R410A	67 - 70 TONS	360 - 440	50Hz	USA
YLAA 0301	1.16KW/ton	3.01	HERMETIC SCROLL	R410A	80 - 84 TONS	360 - 440	50Hz	USA
YLAA 0350	1.18KW/ton	2.98	HERMETIC SCROLL	R410A	93 - 98 TONS	360 - 440	50Hz	USA
YLAA 0391	1.18KW/ton	2.98	HERMETIC SCROLL	R410A	103 - 108 TONS	360 - 440	50Hz	USA
YLAA 442	1.18KW/ton	2.98	HERMETIC SCROLL	R410A	115 - 121 TONS	360 - 440	50Hz	USA
YLAA 457	1.19KW/ton	2.94	HERMETIC SCROLL	R410A	123 - 130 TONS	360 - 440	50Hz	USA
YLAA 517	1.18KW/ton	2.97	HERMETIC SCROLL	R410A	140 - 147 TONS	360 - 440	50Hz	USA

JABATAN PERKHIDMATAN MEKANIKAL DAN ELEKTRIKAL
 DEPARTMENT OF MECHANICAL AND ELECTRICAL SERVICES

YLAA AIR - COOLED SCROLL CHILLERS

MODEL	CHILLER PERFORMANCE	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YLAA 0195YE	1.14KW/ton	3.08	HERMETIC SCROLL	R410A	186 - 196 KW	342 - 440	50Hz	USA
YLAA 0220YE	1.10KW/ton	3.17	HERMETIC SCROLL	R410A	202 - 213 KW	342 - 440	50Hz	USA
YLAA 0260YE	1.16KW/ton	3.03	HERMETIC SCROLL	R410A	240 - 253 KW	342 - 440	50Hz	USA
YLAA 0300YE	1.13KW/ton	3.1	HERMETIC SCROLL	R410A	295 - 310 KW	342 - 440	50Hz	USA
YLAA 0350YE	1.13KW/ton	3.1	HERMETIC SCROLL	R410A	329 - 346 KW	342 - 440	50Hz	USA
YLAA 0390YE	1.16KW/ton	3.03	HERMETIC SCROLL	R410A	367 - 386 KW	342 - 440	50Hz	USA
YLAA 0440YE	1.15KW/ton	3.04	HERMETIC SCROLL	R410A	408 - 429 KW	342 - 440	50Hz	USA
YLAA 0455YE	1.14KW/ton	3.07	HERMETIC SCROLL	R410A	429 - 451 KW	342 - 440	50Hz	USA
YLAA 0515YE	1.14KW/ton	3.06	HERMETIC SCROLL	R410A	495 - 521 KW	342 - 440	50Hz	USA

WATER COOL CHILLER - YORK**YEWS WATER COOLED SCROLL CHILLER**

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YEWS 100	0.673kW/ton	5.22	SEMI - HERMETIC SCREW	R134A	89.3 - 102 TONS	342 - 456.5	50Hz	USA
YEWS 130	0.662kW/ton	5.31	SEMI - HERMETIC SCREW	R134A	112 - 128 TONS	342 - 456.5	50Hz	USA
YEWS 170	0.652kW/ton	5.39	SEMI - HERMETIC SCREW	R134A	145.3 - 166 TONS	342 - 456.5	50Hz	USA
YEWS 200	0.662kW/ton	5.31	SEMI - HERMETIC SCREW	R134A	175.9 - 201 TONS	342 - 456.5	50Hz	USA
YEWS 250	0.640kW/ton	5.49	SEMI - HERMETIC SCREW	R134A	220.9 - 251 TONS	342 - 456.5	50Hz	USA

YK CENTRIFUGAL LIQUID CHILLER

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YK Q3 - Q7	0.563kW/ton	6.24	CENTRIFUGAL	R134A	800 - 1200 kW	340 - 425	50Hz	USA
YK P7 - P9	0.559kW/ton	6.28	CENTRIFUGAL	R134A	1750 - 2800 kW	340 - 425	50Hz	USA
YK H9	0.557kW/ton	6.31	CENTRIFUGAL	R134A	2400 - 3800 kW	340 - 425	50Hz	USA
YK K1 - K7	0.545kW/ton	6.44	CENTRIFUGAL	R134A	3200 - 9850 kW	340 - 425	50Hz	USA
YK - EP	0.544kW/ton	6.46	CENTRIFUGAL	R134A	8800 - 11250 kW	340 - 425	50Hz	USA

YR

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YR T0	0.564kW/ton	6.23	TWIN ROTARY SCREW	R134A	547 - 730 kW	253 - 329.8	50Hz	USA
YR T1	0.560kW/ton	6.27	TWIN ROTARY SCREW	R134A	660 - 880 kW	253 - 329.8	50Hz	USA
YR T2	0.557kW/ton	6.31	TWIN ROTARY SCREW	R134A	772 - 1030 kW	253 - 329.8	50Hz	USA
YR T3	0.545kW/ton	6.44	TWIN ROTARY SCREW	R134A	937 - 1250 kW	253 - 329.8	50Hz	USA
YR T4	0.544kW/ton	6.46	TWIN ROTARY SCREW	R134A	1162 - 1550 kW	253 - 329.8	50Hz	USA
YR T5	0.539kW/ton	6.52	TWIN ROTARY SCREW	R134A	1372 - 1830 kW	253 - 329.8	50Hz	USA

YMC2

MODEL	CHILLER PERFORMANCE (kW/ton)	COP	COMPRESSOR TYPE	REFRIGERANT	RANGE OF CAPACITY	POWER VOLTAGE	FREQUENCY	MANUFACTURER
YMC2 S0900AA	0.550kW/ton	6.39	MAGNETIC CENTRIFUGAL	R134A	765 - 900 kW	388 - 427.5	50Hz	USA
YMC2 S1000AA	0.545kW/ton	6.44	MAGNETIC CENTRIFUGAL	R134A	850 - 1000 kW	388 - 427.5	50Hz	USA
YMC2 S1100AA	0.547kW/ton	6.42	MAGNETIC CENTRIFUGAL	R134A	935 - 1100 kW	388 - 427.5	50Hz	USA
YMC2 S1200AA	0.555kW/ton	6.33	MAGNETIC CENTRIFUGAL	R134A	1140 - 1200 kW	388 - 427.5	50Hz	USA
YMC2 S1300AA	0.591kW/ton	5.94	MAGNETIC CENTRIFUGAL	R134A	1105 - 1300 kW	388 - 427.5	50Hz	USA

