

Telex : MIDEV BU 2808  
Cable : MIDEVBRUNEI  
Telephone : 2383222  
Fax : 2380298 / 2380033



كنترين قباثون

KEMENTERIAN PEMBANGUNAN  
BANDAR SERI BEGAWAN BB3510  
NEGARA BRUNEI DARUSSALAM

Rujukan Kami :  
Our Reference (2603) KPN/ABCi/C/8.0

Rujukan Kamu :  
Your Reference

20 // Rabiulawal 1439  
hb November 2017

Yang Mulia  
Pengarah Urusan  
**P&J COMPANY**  
Unit 9, 2<sup>nd</sup> Floor, Block B  
Abdul Razak Complex  
Jalan Gadong BE3519  
Negara Brunei Darussalam

Tel : +673 8725302

Tuan,

**PERMOHONAN BARU PERSIJILAN PRODUK BAHAN-BAHAN BINAAN  
"YLI" LIGHTING**

Dengan hormat sukacita merujuk permohonan pihak Tuan yang diterima pada 09hb November 2017 oleh pihak Autoriti Kawalan Bangunan dan Industri Pembinaan (ABCi) selaku Urusetia Jawatankuasa Persijilan Produk untuk didaftarkan mengikut Skim Persijilan Produk Bahan-Bahan Binaan dibawah Kementerian Pembangunan seperti diatas.

Sukacita memaklumkan bahawa Jawatankuasa Persijilan Produk Bahan-Bahan Binaan telah meluluskan produk berikut:

**"YLI" LIGHTING**

Untuk berdaftar dibawah **Skim 4 Persijilan Produk** bagi bahan-bahan binaan bagi tempoh **29hb November 2017 sehingga 23hb Mac 2022**.

Untuk makluman, sukacita dikehendaki pihak syarikat Tuan untuk menghadapkan permohonan **MEMBAHARUI** Persijilan Produk bagi Bahan-Bahan Binaan tiga (3) bulan sebelum tarikh mansuh seperti yang dinyatakan di atas.

Jika syarikat dan produk yang dihadapkan tersebut didapati sebarang laporan atau maklumat mengenai ketidakberkesanan dari segi teknikal dan keupayaan, surat kebenaran dan Persijilan Produk akan ditarik balik dengan serta merta.

Dalam tempoh ini juga, Jawatankuasa Persijilan Produk atau pemeriksa pihak ketiga (3rd Party) yang dilantik akan menjalankan pemeriksaan keatas produk-produk berkenaan, bagi memastikan kualiti yang memuaskan dari masa ke semasa.



Jika kualiti produk didapati tidak memuaskan semasa pemeriksaan dijalankan, ianya hendaklah diperbaiki dengan segera. Jika gagal berbuat sedemikian, surat kebenaran Persijilan produk berkenaan akan dibatalkan dan penggunaan produk tidak boleh diguna pakai dalam mana-mana projek Kerajaan.

Sila ambil maklum bahawa penggunaan produk ini oleh pihak Tuan bagi projek-projek Kerajaan Kebawah Duli Yang Maha Mulia adalah tertakluk kepada keperluan khas jabatan pengguna dari segi teknikal dan kontrak.

Walaupun jika produk Tuan ini didapati memuaskan selepas tempoh ini, Tuan bolehlah menghadapkan permohonan untuk membarui persijilan produk dan seterusnya memohon untuk didaftarkan mengikut Skim Persijilan Produk bagi bahan-bahan binaan dibawah Kementerian Pembangunan.

Kementerian Pembangunan berharap semua produk-produk yang dibekalkan di Negara Brunei Darussalam adalah konsisten berkualiti.

**" BERSEDIA BERKHIDMAT "**  
**"Sayangi dan Bimbinglah Anak-Anak Kitani"**

Dengan hormat,

[ **DAYANG HAJAH SITI AIDAH BINTI HAJI MOHAMMAD** ]  
b.p. Setiausaha Tetap (Teknikal & Profesional)  
Kementerian Pembangunan

s.k.

- ☞ Ketua Pengarah Kerja Raya, JKR
- ☞ Pengarah Jalanraya, JKR
- ☞ Pengarah Perkhidmatan Teknikal, JKR
- ☞ Pengarah Perkhidmatan Air, JKR
- ☞ Pengarah Perkhidmatan Bangunan, JKR
- ☞ Pengarah Saliran dan Pembetulan, JKR
- ☞ Pengarah Mekanikal & Elektrikal, JKR
- ☞ Pengarah Kemajuan Perumahan
- ☞ Pengarah Alam Sekitar, Taman dan Rekreasi
- ☞ Fail KPN/ABCi/C/8.1.5



KEMENTERIAN PEMBANGUNAN  
NEGARA BRUNEI DARUSSALAM

BARANGAN YANG DILULUSKAN

Rujukan barangan yang diluluskan : (2603) KPN/ABCi/C/8.0  
Tarikh diluluskan : 29hb November 2017  
Tarikh Mansuh : 23hb Mac 2022

Dengan ini diakui bahawa P & J COMPANY, Unit 9, 2<sup>nd</sup> Floor, Block B, Abdul Razak Complex, Jalan Gadong BE3519, Negara Brunei Darussalam, telah mengikuti skim persijilan barangan Kementerian Pembangunan seperti keterangan di bawah ini :-

Skim Persijilan : Skim 4  
(Sila rujuk Prosidur Persijilan STD3/003  
Keluaran No. 12, Semakan 10hb Ogos 2010)  
: Penggunaan produk ini tertakluk kepada keperluan  
khas pengguna dari segi teknikal dan kontrak.  
: Penggunaan dan pemasangan produk hendaklah  
mengikut spesifikasi yang telah ditetapkan dan  
hendaklah dibuat oleh kontraktor yang berdaftar dan  
terlatih.

Barangan yang diluluskan : "YLI" LIGHTING  
• Sila rujuk Appendix 'B' bertarikh 29hb November 2017

Tajuk dan Nombor Piawai (spesikasi) yang berkenaan terhadap persijilan yang dkehendaki : *Certificate of Suitability*  
*Issued by : TUV Rheinland Australia Pty Ltd*  
*Certificate No : AZ 69021730*  
*Certificate Validity : 23<sup>rd</sup> March 2022*

[ DAYANG HAJAH SITI AIDAH BINTI HAJI MOHAMMAD ]  
b.p. Setiausaha Tetap (Teknikal & Profesional)  
Kementerian Pembangunan

Tarikh dikeluarkan: 29hb November 2017


Nota:

- Syarikat hendaklah menghadapkan borang permohonan membaruhai tiga (3) bulan sebelum tarikh Sijil Pendaftaran mansuh.
- Jika produk yang dihadapkan tidak memenuhi piawaian dan spesifikasi yang ditetapkan, surat kebenaran dan persijilan produk ditarik balik dengan serta merta.


Produk List Bagi Barangan "YLI" Light Fittings

Lampiran B


No	Model	Product Description	Wattage	IP Rating	Voltage And Frequency	CCT	Efficacy	CRI	Origin	LED UNIT		LED DRIVER		WIRING		Type Of Lamp	Fitting Type	Certificate Mark	Catalogue Page
										Brand	ORIGIN	Brand	Origin	Brand	Origin				
1	OS YBC 1x600mm	LED Bare Batten - 1xT8 (600mm)	1x10W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
2	OS YBC 1x1200mm	LED Bare Batten - 1xT8 (1200mm)	1x20W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
3	OS YBC 2x600mm	LED Bare Batten - 2xT8 (600mm)	2x10W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
4	OS YBC 2x1200mm	LED Bare Batten - 2xT8 (1200mm)	2x20W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
5	OS YWP 1x600mm	Weather Proof Fitting - 1xT8 (2ft)	1x10W	IP65	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
6	OS YWP 1x1200mm	Weather Proof Fitting - 1xT8 (4ft)	1x20W	IP65	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
7	OS YWP 2x600mm	Weather Proof Fitting - 2xT8 (2ft)	2x10W	IP65	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
8	OS YWP 2x1200mm	Weather Proof Fitting - 2xT8 (4ft)	2x20W	IP65	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
9	OS YWG 1x600mm	Wire Guard Fitting - 1xT8 (600mm)	1x10W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
10	OS YWG 1x1200mm	Wire Guard Fitting - 1xT8 (1200mm)	1x20W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
11	OS YWG 2x600mm	Wire Guard Fitting - 2xT8 (600mm)	2x10W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
12	OS YWG 2x1200mm	Wire Guard Fitting - 2xT8 (1200mm)	2x20W	IP20	AC 220-240V - @50/60Hz	N/A	N/A	N/A	Malaysia	N/A	N/A	N/A	N/A	Magnum Cable	Malaysia	T8 LED Tube - Philips Or Osram	Empty Fitting	SIRIM - ILAC-MRA	7
13	OS B2/OL	LED 2ft Batten Fitting	16W	IP20 / IP54	AC 220-240V - @50/60Hz	ALL	97.8lm/W	≥80	Malaysia	VIP	China	OSRAM	China	Magnum Cable	Malaysia	LED STRIPS	Complete Fitting	SIRIM - ILAC-MRA	5
14	OS B4/OL	LED 4ft Batten Fitting	32W	IP20 / IP54	AC 220-240V - @50/60Hz	ALL	113.5lm/W	≥80	Malaysia	VIP	China	OSRAM	China	Magnum Cable	Malaysia	LED STRIPS	Complete Fitting	SIRIM - ILAC-MRA	5
15	OS 707/A	Adjustable Recessed Downlight (D:175mm)	32.1W	IP20	AC 220-240V - @50/60Hz	ALL	112.1lm/W	≥80	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	13
16	OS 607/A	Adjustable Recessed Downlight (D:160mm)	32.1W	IP20	AC 220-240V - @50/60Hz	ALL	112.1lm/W	≥80	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	13
17	OS 407	Fixed Recessed Downlight (D:143mm)	32.1W	IP20	AC 220-240V - @50/60Hz	ALL	112.1lm/W	≥80	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	13
18	OS 120SL	Adjustable Angle Track Light	32.1W	IP20	AC 220-240V - @50/60Hz	ALL	112.1lm/W	≥80	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	-
19	OS FL-2	LED Flood Lights - 2 LED Modules	2X50W	IP65	AC 220-240V - @50/60Hz	4000K & 6500K	120lm/W	≥70	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	-
20	OS FL-3	LED Flood Lights - 3 LED Modules	3X50W	IP65	AC 220-240V - @50/60Hz	4000K & 6500K	120lm/W	≥70	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	-



21	OS FL-4	LED Flood Lights - 4 LED Modules	4X50W	IP65	AC 220-240V - @50/60Hz	4000K & 6500K	120lm/W	≥70	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	26
22	OS HB-2	LED High Bay - 2 LED Modules	2X50W	IP20	AC 220-240V - @50/60Hz	4000K & 6500K	120lm/W	≥70	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	26
23	OS HB-4	LED High Bay - 4 LED Modules	4X50W	IP20	AC 220-240V - @50/60Hz	4000K & 6500K	120lm/W	≥70	Malaysia	OSRAM	China	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	SIRIM - ILAC-MRA	26
24	OS PV12/RP	Panel Light Type Vertical (Recessed Plaster Ceiling) - 630x330x55	19W	IP20	AC 220-240V - @50/60Hz	ALL	100lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
25	OS PV14/RP	Panel Light Type Vertical (Recessed Plaster Ceiling) - 1230x330x55	36W	IP20	AC 220-240V - @50/60Hz	ALL	105.5lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
26	OS PV22/RP	Panel Light Type Vertical (Recessed Plaster Ceiling) - 630x630x55	36W	IP20	AC 220-240V - @50/60Hz	ALL	111.1lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
27	OS PV24/RP	Panel Light Type Vertical (Recessed Plaster Ceiling) - 1230x630x55	72W	IP20	AC 220-240V - @50/60Hz	ALL	111.1lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
28	OS PV12/R-MM	Panel Light Type Vertical (Recessed-Metric) - 595x297x54	19W	IP20	AC 220-240V - @50/60Hz	ALL	100lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
29	OS PV14/R-MM	Panel Light Type Vertical (Recessed-Metric) - 1195x297x54	36W	IP20	AC 220-240V - @50/60Hz	ALL	105.5lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
30	OS PV22/R-MM	Panel Light Type Vertical (Recessed-Metric) - 595x595x54	36W	IP20	AC 220-240V - @50/60Hz	ALL	111.1lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
31	OS PV24/R-MM	Panel Light Type Vertical (Recessed-Metric) - 1195x595x54	72W	IP20	AC 220-240V - @50/60Hz	ALL	111.1lm/W	≥80	Malaysia	VIP	Malaysia	OSRAM	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	6
32	OS 301	3" LED Recessed Downlight (D:115mm)	10W	IP20	AC 220-240V - @50/60Hz	ALL	75lm/W	≥80	P.R.C	VIP	China	Built-In Driver	China	Dongguan Huajunda	China	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
33	OS 401	4" LED Recessed Downlight (D:140mm)	12W	IP20	AC 220-240V - @50/60Hz	ALL	75lm/W	≥80	P.R.C	VIP	China	Built-In Driver	China	Dongguan Huajunda	China	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
34	OS 601	6" LED Recessed Downlight (D:170mm)	15W	IP40	AC 220-240V - @50/60Hz	ALL	76.7lm/W	≥80	P.R.C	VIP	China	Built-In Driver	China	Dongguan Huajunda	China	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
35	OS 301/D	3" LED Recessed Downlight-Dimmable (D:115mm)	10W	IP40	AC 220-240V - @50/60Hz	ALL	75lm/W	≥80	P.R.C	VIP	China	Built-In Driver	China	Dongguan Huajunda	China	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
36	OS 401/D	4" LED Recessed Downlight-Dimmable (D:140mm)	12W	IP40	AC 220-240V - @50/60Hz	ALL	75lm/W	≥80	P.R.C	VIP	China	Built-In Driver	China	Dongguan Huajunda	China	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
37	OS 601/D	6" LED Recessed Downlight-Dimmable (D:170mm)	15W	IP40	AC 220-240V - @50/60Hz	ALL	76.7lm/W	≥80	P.R.C	VIP	China	Built-In Driver	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
38	OS 402(T)	4" LED Recessed Downlight (D:141mm)	12W	IP40	AC 220-240V - @50/60Hz	ALL	83.33lm/W	≥75	Malaysia	VIP	China	Vitalite	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
39	OS 602(T)	6" LED Recessed Downlight (D:172mm)	15W	IP40	AC 220-240V - @50/60Hz	ALL	71.87lm/W	≥75	Malaysia	VIP	China	Vitalite	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
40	OS 702(T)	7" LED Recessed Downlight (D:190mm)	18W	IP40	AC 220-240V - @50/60Hz	ALL	72.22lm/W	≥75	Malaysia	VIP	China	Vitalite	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
41	OS 802(T)	8" LED Recessed Downlight (D:215mm)	26W	IP40	AC 220-240V - @50/60Hz	ALL	78.84lm/W	≥75	Malaysia	VIP	China	Vitalite	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9
42	OS 902(T)	9" LED Recessed Downlight (D:240mm)	26W	IP40	AC 220-240V - @50/60Hz	ALL	78.84lm/W	≥75	Malaysia	VIP	China	Vitalite	China	Magnum Cable	Malaysia	LED MODULE	Complete Fitting	CB Scheme - TUV Rheinland	9



128 NOV 2011



Note:

1. CCT All - 3000K, 4000K and 6000K

2. T8 LED Tube comes with built-in driver

T8 LED Compatible Brand - Philips and Osram



28 NOV 2017