

**KEMENTERIAN PEMBANGUNAN
NEGARA BRUNEI DARUSSALAM**

BARANGAN YANG DILULUSKAN

Rujukan barangan yang diluluskan : **(2141) KPN/ABCi/C/8.0**

Tarikh dikeluarkan : **28hb. Mei 2014**

Tarikh Mansuh : **15hb. Ogos 2015**

Dengan ini diakui bahawa, **Falah Tek Sdn Bhd Simpang 69, Lot 6587, Jalan Sungai Pandan, Kuala Belait KA 2931, Negara Brunei Darussalam** telah mengikuti skim persijilan barangan Kementerian Pembangunan seperti keterangan di bawah ini :-

Skim Persijilan : **Skim 2
(Sila rujuk Prosidur Persijilan STD3/003
Keluaran No. 11, Semakan 27hb. Mei 2008)**

: **Penggunaan produk ini tertakluk kepada
keperluan khas pengguna dari segi teknikal dan
kontrak.**

Barangan yang diluluskan : **SKY RESOURCES SOLAR TECHNOLOGY**

Sila Rujuk "SCHEDULE"

Tajuk dan Nombor Piawai (spesikasi) : **ISO 9001:2008
yang berkenaan terhadap persijilan yang
dikehendaki. *The design and manufacture of low-voltage solar
lighting lamps***

**Issued by : BSI, UK
Certificate No. : FM 582498
Certification Validity: 15/08/2015**

07. mla.

**[DR. HAJAH DAYANG SUZANA BINTI HAJI AWANG ADENAN]
b/p. Setiausaha Tetap (Teknikal & Professional)
Kementerian Pembangunan**

Issued Date : 28/05/2014



SCHEDULE
(2141) KPN/ABC1/C/B.O
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"
Checked by Department of Mechanical and Electrical, Public Works Department

LED Street Lamp / Outdoor Spot Lamp			
No	Model	Description	Place of Manufacture
1	YZY-CP-008	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light; Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China
2	YZY-CP-010	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light, Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China
3	YZY-CP-010RGB	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light, Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China





SCHEDULE
(2141) KPN/ABC1/C/8.0
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"
Checked by Department of Mechanical and Electrical, Public Works Department

4	YZY-CP-004	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light, Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China
5	YZY-CP-009	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light, Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China
6	YZY-CP-011/012	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light, Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China
7	YZY-CP-013/014	Product Approvals: CE: YZY-WS-001-027,CE: C4M20408-2725-E-16 Brief Description: Solar spike lamps, Mono/ polycrystalline silicon, panel, super white LEDs, 1pc rechargeable lead-acid battery, digital controller, waterproof IP54, Light, Source: LED, IP: IP54, Voltage: 6V, Material: PC, Aluminum, Glass, PVC, Silicone, Plastic,Solar Energy: Yes ,Voltage: 6V, IP: IP54, Solar Energy: Yes	Sky Resources R&D Center Xinyu City, Jiangxi Province China






SCHEDULE
(2141) KPN/ABC1/C/8.0
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"
Checked by Department of Mechanical and Electrical, Public Works Department

LED Street Lamp / Outdoor Spot Lamp			
No	Model	Description	Place of Manufacture
1	YZY-LL-001H	Lamp: 28/42/90/120/180W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 3640lm-23040lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L (185-845)xW305xH80cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
2	YZY-LL-103	Lamp: 80/120/180W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 10400lm-234000lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L (760-1060)xW330xH95cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
3	YZY-LL-105	Lamp: 90/120/180W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 11700lm-234000lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L (765-975)xW400xH145cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
4	YZY-LL-106	Lamp: 30/60/80/120/180W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 3900lm-19500lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L (480-780)xW (200-300)xH70cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
5	YZY-LL-107	Lamp: 70/100/130/180W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 9100lm-21800lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L (530-860)xW300xH130cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
6	YZY-LL-204	Lamp: 40/40/50/60W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 3900lm-7200lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L600xW320xH190cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
7	YZY-LL-202	Lamp: 80-120W, Working Voltage: AC85-265V, Material: Aluminum, Luminus Flux: 15600lm-10400lm, Life Span: >5000h, Colour Temp: 3300K-6000K, Product size: L790xW350xH225cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China





SCHEDULE
(2141) KPN/ABCI/C/8.0
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"
Checked by Department of Mechanical and Electrical, Public Works Department

8	YZY-LL-203	Lamp: 80-120W , Working Voltage: AC85-265V , Material: Aluminum , Luminus Flux: 15600lm-10400lm , Life Span: >5000h , Colour Temp: 3300K-6000K , Product size: L790xW350xH225cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
9	YZY-LL-205	Lamp: 80/120/180W , Working Voltage: AC85-265V , Material: Aluminum , Luminus Flux: 10400lm-23400lm , Life Span: >5000h , Colour Temp: 3300K-6000K , Product size: L(650-820)xW(250-350)xH(110-130)cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
10	YZY-LL-206	Lamp: 120/180W , Working Voltage: AC85-265V , Material: Aluminum , Luminus Flux: 15600lm-23400lm , Life Span: >5000h , Colour Temp: 3300K-6000K ,	Sky Resources R&D Center Xinyu City, Jiangxi Province China
11	YZY-LL-207	Lamp: 90/120/180W , Working Voltage: AC85-265V , Material: Aluminum , Luminus Flux: 11700lm-23400lm , Life Span: >5000h , Colour Temp: 3300K-6000K , Product size: L(765-975)xW400xH145cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China





SCHEDULE
(2141) KPN/ABCI/C/8.0
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"
Checked by Department of Mechanical and Electrical, Public Works Department

LED Street Lamp / Outdoor Spot Lamp			
No.	Model	Discription	Place of Manufacture
1	YZY-TY-057	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
2	YZY-TY-073	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 250mm , Light Source Height: 230cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
3	YZY-TY-072	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 250cm , Light Source Height: 230cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
4	YZY-TY-076A/076B/076C	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 300cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
5	YZY-TY-002	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
6	YZY-TY-004	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
7	YZY-TY-005	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
8	YZY-TY-010	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
9	YZY-TY-012	Light Source: 2x4W Solar Panel: 18V26Ah , Battery: 12V26Ah , Controller: 12V5A , Colour Temp: 3300K~6000K , Light Source Life: 50000h , Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China





SCHEDULE
(2141) KPN/ABCI/C/8.0
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"

Checked by Department of Mechanical and Electrical, Public Works Department

10	YZY-TY-040	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
11	YZY-TY-026	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
12	YZY-TY-042	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
13	YZY-TY-061	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 240cm, Light Source Height: 200cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
14	YZY-TY-063	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 260cm, Light Source Height: 230cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
15	YZY-TY-068	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 270cm, Light Source Height: 230cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
16	YZY-TY-069	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 250cm, Light Source Height: 200cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
17	YZY-TY-070	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 240cm, Light Source Height: 190cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
18	YZY-TY-073	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 150cm, Light Source Height: 150cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
19	YZY-TY-075	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 180cm, Light Source Height: 170cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China





SCHEDULE
(2141) KPN/ABC/C/8.0
FALAH-TEK SDN BHD

"SKY RESOURCES SOLAR TECHNOLOGY"

Checked by Department of Mechanical and Electrical, Public Works Department

20	YZY-TY-074	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 50000h, Product Height: 180cm, Light Source Height: 190cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
21	YZY-TY-063	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
22	YZY-TY-064	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
23	YZY-TY-065	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
24	YZY-TY-066	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
25	YZY-TY-019	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
26	YZY-TY-022	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
27	YZY-TY-030	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
28	YZY-TY-031	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China
29	YZY-TY-034	Light Source: 2x4W Solar Panel: 18V26Ah, Battery: 12V26Ah, Controller: 12V5A, Colour Temp: 3300K~6000K, Light Source Life: 30000~50000h, Product Height: 300~350cm	Sky Resources R&D Center Xinyu City, Jiangxi Province China

